

rettenmeier®

PREMIUM OF WOOD




TREND  
WOOD  
PAGE 50

## RET TENMEIER® PREMIUM OF WOOD

Our product range is just as versatile as the properties of our raw material wood. Every day, we work to create a range that meets the needs of our customers and the market.

**Always high quality. Always tailored precisely to our customers. Always rettenmeier®.**

LEARN  
MORE ...



EVERY HURDLE  
CAN BE  
OVERCOME  
WITH A  
STRONG TEAM.




"With our product range tailored to the market, we serve our customers nationally and internationally."  
- Roland Deeg, Sales Manager DIY



"We process our valuable raw material wood with precision and care."  
- Florian Bork, Sawmill Shift Supervisor



"Good and thorough planning is the prerequisite for reliable delivery of our goods to the customer."  
- Claudia Stark, Production Planning



"With our own trucks, we get the goods to their destination safely and quickly."  
- Matthias Peter, professional driver



"In our state-of-the-art production facilities, we always get the best out of every product!"  
- Gerhard Raab, Sawmill Line Manager

10  
58  
98

TIMBER

Profiled timber/T&G timber . . . . .12  
Planed whitewood . . . . .20  
Laminated beams . . . . .23  
Solid structural timber/QLH-Duo-plus®. . . . .26  
Whitewood, unplaned . . . . .28  
Multi-purpose/formwork panels . . . . .32  
Glulam . . . . .33  
Trend wood . . . . .50  
Other/Tools. . . . .56

OUTDOOR WOOD

Terrace decking . . . . .60  
Construction timber . . . . .70  
Screens . . . . .80  
Tiles . . . . .84  
Exterior . . . . .87  
Accessories . . . . .92

ENERGY WOOD

Wood pellets . . . . .100  
Wooden briquettes . . . . .101

LATEST  
VERSION  
ALWAYS  
ONLINE



## CUTTING-EDGE PRODUCTION

Our new production facilities with state-of-the-art scanner technology make the most of every trunk and guarantee the **consistent PREMIUM quality** of our products.

LEARN  
MORE ...





## INDIVIDUAL ORDER PICKING ACCORDING TO CUSTOMER REQUIREMENTS

Thanks to our extensive product range and the continuous availability of goods with consistent quality, we are **THE full-service provider** that offers our DIY customers added value.

LEARN  
MORE ...



# TIMBER




rettenmeier®  
DO IT WOOD

## TIMBER

rettenmeier® DO IT WOOD stands for **high-quality, durable and ecological wood products**. Whether profile wood, construction timber, glulam or trend wood: We offer high-quality wood construction materials with impressive quality, but no ecological impression.

LEARN  
MORE ...



















TIMBER

OUTDOOR WOOD

ENERGY WOOD





	Quality/Grading	Dimension (mm)	Lengths (mm)	Packaging unit (items)	EAN	Supplier item number
<b>Solid wood profile</b> , coniferous wood, unplanned, (U-joint) grey, PEFC, made in Germany 						
 	 WMC ★★★★	19 x 146	2500	70	4000868166944	3180088702500
<b>End strip</b> , coniferous wood, unplanned, natural, PEFC, made in Germany 						
	 WMC ★★★★	24 x 54	2500	24	4000868166982	3180089002500
<b>End strip</b> , coniferous wood, unplanned, brown, PEFC, made in Germany 						
	 WMC ★★★★	24 x 54	2500	24	4000868167002	3180089202500
<b>End strip</b> , coniferous wood, unplanned, white, PEFC, made in Germany 						
	 WMC ★★★★	24 x 54	2500	24	4000868167019	3180089302500
<b>End strip</b> , coniferous wood, unplanned, grey, PEFC, made in Germany 						
	 WMC ★★★★	24 x 54	2500	24	4000868166999	3180089102500



# FLOORBOARDS





- ✓ improves the interior climate
- ✓ promotes a sense of comfort
- ✓ warm to the feet
- ✓ hygienic
- ✓ breathable
- ✓ healthy

**PRODUCT DESCRIPTION:**

- finely planed
- shrink-wrapped, EAN-coded, labelled
- various lengths available
- specially dried



Examples of applications: Flooring in living spaces, attic, outbuildings, garden houses, ...

				Packaging type			EAN	Supplier item number	
Quality/ Grading	Dimension (mm)	Length (mm)	m²/ bundle	pcs/ bundle	bun- dles/ pallet	pcs/ pallet			
<b>Floorboards, spruce/fir, PEFC, made in Germany</b> 									
 	 A 	22.5 x 121	2100	1.02	4	27	108	4000868030511	3180034402100
			2400	1.16	4	27	108	4000868030528	3180034402400
			3000	1.45	4	27	108	4000868030542	3180034403000
			4200	2.03	4	27	108	4000868030580	3180034404200









PRODUCT DESCRIPTION:


- finely planed
- shrink-wrapped, EAN-coded, labelled





Application examples: In ancillary rooms, outbuildings, garden houses, subfloors, ...

				Packaging type					
Quality/ Grading	Dimension (mm)	Length (mm)	m²/ bundle	pcs/ bundle	bun- dles/ pallet	pcs/ pallet	EAN	Supplier item number	
T&G timber, coniferous wood, dried, PEFC, made in Germany 									
	Class 2-3 	19 x 96	2000	1.15	6	44	264	4000868160089	3180008002000
			2500	1.44	6	44	264	4000868160096	3180008002500
			3000	1.73	6	44	264	4000868160003	3180008003000
			4000	2.30	6	44	264	4000868160119	3180008004000
 	Class 2-4 	19 x 96	2000	1.15	6	44	264	4000868160539	3180014502000
			2500	1.44	6	44	264	4000868160546	3180014502500
			3000	1.73	6	44	264	4000868160553	3180014503000
			4000	2.30	6	44	264	4000868160683	3180014504000
Other versions available on a sporadic basis									


T&G timber, coniferous wood, dried, PEFC, made in Germany










Class 2-3







Class 2-4






Class 2-3





Class 2-4






19 x 116





19 x 116





2000	1.16	5	45	225	4000868159809	3180008302000
2500	1.45	5	45	225	4000868159816	3180008302500
3000	1.74	5	45	225	4000868159823	3180008303000
2000	1.16	5	45	225	4000868160621	3180014902000
2500	1.45	5	45	225	4000868160638	3180014902500
3000	1.74	5	45	225	4000868160645	3180014903000

Other versions available on a sporadic basis

T&G timber, spruce/fir, resorted, dried, PEFC, made in Germany								
 Class 2-3 ★★★	22.5 x 121	2100	1.02	4	36	144	4000868001955	3180040502100
		2400	1.16	4	36	144	4000868001962	3180040502400
		3000	1.45	4	36	144	4000868001986	3180040503000
		4200	2.03	4	36	144	4000868003669	3180040504200

				Packaging type				
Quality/ Grading	Dimension (mm)	Length (mm)	m²/ bundle	pcs/ bundle	bun- dles/ pallet	pcs/ pallet	EAN	Supplier item number
T&G timber, spruce/fir, resorted, dried, PEFC, made in Germany 								
 Class 2-3 	28 x 146	2100	0.92	3	28	84	4000868004574	3180047402100
		2700	1.18	3	28	84	4000868004598	3180047402700
		3600	1.58	3	28	84	4000868004505	3180047403600

T&G timber, Douglas fir, resorted, dried, PEFC, made in Germany 									
  Class 2-3 		21 x 96	2000	0.96	5	44	220	4000868801593	3900015202000
			3000	1.44	5	44	220	4000868801616	3900015203000
			Other versions available on a sporadic basis						

T&G timber, Douglas fir, resorted, dried, PEFC, made in Germany 									
 Class 2-3 	 21 x 116	2000	0.93	4	45	180	4000868802446	3900016102000	
		3000	1.39	4	45	180	4000868802460	3900016103000	
		4000	1.86	4	45	180	4000868807786	3900016104000	
		Other versions available on a sporadic basis							



# SOLID WOOD, PLANED

## PRODUCT DESCRIPTION:

- planed on four sides
- chamfered edges
- technically dried
- without shrink-wrapping
- individually EAN-coded

## QUALITY:

- WMC (sawmill grade/  
mixed grade A/B)

- ✓ climate-friendly
- ✓ no chemical wood protection
- ✓ no disposal problems
- ✓ environmentally friendly material

- planed on four sides
- chamfered edges
- technically dried
- without shrink-wrapping
- individually EAN-coded

- WMC (sawmill grade/  
mixed grade A/B)



- ✓ climate-friendly
- ✓ no chemical wood protection
- ✓ no disposal problems
- ✓ environmentally friendly material

Quality/ Grading	Dimension (mm)	Length (mm)	Packaging type			EAN	Supplier item number
			pcs/ bundle	bundles/ pallet	pcs/ pallet		



18 x 36	2000	10	39	390	4000868708038	3420002202000
	2400	10	39	390	4000868708083	3420002202400
	2500	10	39	390	4000868708045	3420002202500
	3000	10	39	390	4000868708069	3420002203000
19 x 44	1800	10	33	330	4000868708229	3420004101800
	2000	10	33	330	4000868708120	3420004102000
	2400	10	33	330	4000868708137	3420004102400
	2500	10	33	330	4000868708144	3420004102500
	3000	10	33	330	4000868708151	3420004103000



24 x 44	2000	144	4000868708403	3420011702000
	3000	144	4000868708434	3420011703000
24 x 74	2000	112	4000868702357	3420012002000
	3000	112	4000868702371	3420012003000
24 x 94	2000	88	4000868702388	3420012302000
	3000	88	4000868702401	3420012303000
34 x 34	2000	120	4000868701824	3420014902000
	3000	120	4000868701848	3420014903000



Dimension (mm)	Length (mm)	Packaging type			EAN	Supplier item number
		pcs/ bundle	bundles/ pallet	pcs/ pallet		
34 x 54	2000			80	4000868701855	3420015202000
	3000			80	4000868701879	3420015203000
44 x 44	2000			96	4000868701886	3420017602000
	3000			96	4000868701909	3420017603000
44 x 74	2000			56	4000868701923	3420017902000
	3000			56	4000868701947	3420017903000
44 x 94	2000			44	4000868701961	3420018202000
	3000			44	4000868701985	3420018203000
54 x 54	2000			60	4000868702005	3420020202000
	3000			60	4000868702029	3420020203000
54 x 74	2000			28	4000868731029	3420020502000
	3000			28	4000868734891	3420020503000







74 x 74	2000	28	4000868702043	3420021902000
	3000	28	4000868702067	3420021903000
94 x 94	2000	22	4000868702111	3420023202000
	3000	22	4000868702135	3420023203000







19 x 74	2000	112	4000868708182	3420004502000
	3000	112	4000868708212	3420004503000
19 x 94	2000	88	4000868702166	3420004902000
	3000	88	4000868712844	3420004903000
19 x 114	2000	81	4000868702197	3420005202000
	3000	81	4000868702210	3420005203000
19 x 144	2000	63	4000868702234	3420005502000
	3000	63	4000868702258	3420005503000
19 x 174	2000	36	4000868700285	3420005602000
	3000	36	4000868700308	3420005603000







20 x 95	2000	176	4000868743954	3420007802000
	2500	176	4000868734174	3420007802500
	3000	176	4000868743961	3420007803000
20 x 125	2500	128	4000868738073	3420009902500
24 x 155	2500	84	4000868738080	3420012802500

			Packaging type					
Quality/ Grading	Dimension (mm)	Length (mm)	pcs/ bundle	bundles/ pallet	pcs/ pallet	EAN	Supplier item number	
Frame, coniferous wood, PEFC, made in Germany 								
 <div> IV </div> <div>NEW</div>	38 x 63	2400			96	4000868167118	3420028002400	
					400	4000868167170	3420028402400	
		2400			72	4000868167231	3420028102400	
	38 x 89	2660			288	4000868167255	3420028502400	
					72	4000868167125	3420028102660	
					288	4000868167187	3420028502660	
					72	4000868167132	3420028103660	
		3660			288	4000868167194	3420028503660	
	38 x 140	2400			48	4000868167248	3420028202400	
					192	4000868167262	3420028602400	
			2660			48	4000868167149	3420028202660
					192	4000868167200	3420028602660	
		3660			48	4000868167156	3420028203660	
				192	4000868167217	3420028603660		
	38 x 184	2400			30	4000868167286	3420028302400	
				144	4000868167279	3420028702400		
3660				30	4000868167163	3420028303660		
				144	4000868167224	3420028703660		

Craft wood, coniferous wood, slats, planed, PEFC, made in Germany 							
 <div> HF </div> <div>NEW</div>	24 x 44	1000			1	4000868748706	3510000001000

Craft wood, coniferous wood, frame, planed, PEFC, made in Germany 							
 <div> HF </div> <div>NEW</div>	34 x 34	1000			1	4000868748713	3510000101000
	34 x 54	1000			1	4000868748720	3510000201000
	44 x 44	1000			1	4000868748737	3510000301000
	54 x 54	1000			1	4000868748744	3510000401000

Craft wood, coniferous wood, board, planed, PEFC, made in Germany 							
 <div> HF </div> <div>NEW</div>	19 x 74	1000			1	4000868748751	3510000501000
	19 x 94	1000			1	4000868748768	3510000601000
	19 x 144	1000			1	4000868748775	3510000701000

Craft wood, coniferous wood, board, unplaned, PEFC, made in Germany 							
 <div> 2 </div> <div>NEW</div>	23 x 100	1000			1	4000868748782	3510000801000
	23 x 150	1000			1	4000868748799	3510000901000

COMPOSITE TIMBER/  
GLUED LAMINATED TIMBER

PRODUCT DESCRIPTION:

- surface planed on all sides
- chamfered edges
- dried to max. 15% wood moisture content
- individually shrink-wrapped

QUALITY:

- vis (visible area)






DECLARATIONS OF PERFORMANCE



- ✓ energy-saving
- ✓ heat-insulating
- ✓ moisture-balancing
- ✓ breathable
- ✓ resistant
- ✓ durable
- ✓ low-maintenance & decorative


Application examples: Structural interior fittings, partition walls, roof construction, canopies, pergolas, etc. frame construction, shelving/small pieces of furniture, etc.

		Packaging type			EAN	Supplier item number		
Quality/ Grading	Dimension (mm)	Length (mm)	pcs/ bundle	bundles/ pallet			pcs/ pallet	
Glue-laminates/laminated timber, spruce/fir, glued in multiple layers, PEFC								
	 vis 	40 x 80	2500			84	4000868743893	5400009202500
			3000			84	4000868743909	5400009203000
	60 x 80	2500			60	4000868743916	5400009302500	
		3000			60	4000868743923	5400009303000	
	60 x 120	2500			9	4000868743862	5400009402500	
		3000			9	4000868724519	5400009403000	
		4000			9	4000868725134	5400009404000	
	80 x 80	2500			48	4000868743930	5400009502500	
		3000			48	4000868743947	5400009503000	
	80 x 100	2500			11	4000868743879	5400009602500	
		3000			11	4000868733078	5400009603000	
		4000			11	4000868743121	5400009604000	
	80 x 120	3000			9	4000868743138	5400009703000	
		4000			9	4000868743145	5400009704000	
	80 x 160	3000			7	4000868724526	5400009803000	
		4000			7	4000868725141	5400009804000	
6000				7	4000868724571	5400009806000		
100 x 100	2500			11	4000868743886	5400009902500		
	3000			11	4000868724533	5400009903000		
	4000			11	4000868725158	5400009904000		
	6000			11	4000868740151	5400009906000		


TIMBER


OUTDOOR WOOD

ENERGY WOOD

	Quality/ Grading	Dimension (mm)	Length (mm)	Packaging type			EAN	Supplier item number
				pcs/ bundle	bundles/ pallet	pcs/ pallet		
Glue-laminates/laminated timber, spruce/fir, glued in multiple layers, PEFC								
 vis ★★★★		100 x 120	3000			9	4000868733085	5400010003000
			4000			9	4000868743152	5400010004000
		100 x 200	3000			10	4000868742223	5400010103000
			6000			10	4000868740168	5400010106000
		120 x 120	3000			9	4000868733054	5400010203000
			6000			9	4000868733207	5400010206000

Glulam/laminated timber vis, spruce/fir, surface planed on all sides, edges chamfered, glued waterproof, PEFC, made in Germany





NEW

		WIDTH							
		80 mm	100 mm.	120 mm	140 mm	160 mm	180 mm	200 mm	240 mm
THICKNESS	100 mm.		x						
	120 mm	x	x	x					
	140 mm	x							
	160 mm	x	x	x	x	x			
	180 mm	x							
	200 mm	x	x	x	x	x		x	
	240 mm	x	x	x	x	x	x	x	x
	280 mm		x	x	x	x	x	x	x
	320 mm			x	x	x	x	x	x
	360 mm			x	x	x	x	x	x
400 mm				x	x	x	x	x	
440 mm						x	x	x	
480 mm						x		x	

Lengths: 4.00 - 8.00 m in fixed cut-out (±1 cm)

Delivery time: at least 2 weeks with warehouse delivery

Please note: orders cannot be cancelled at a later date

WITH US, YOU ARE ALWAYS WELL ADVISED!

THE RETTENMEIER®  
ALL-ROUND PACKAGE:

- ✓ comprehensive range in PREMIUM quality
- ✓ personal advice
- ✓ decades of experience
- ✓ excellent knowledge



TIMBER

OUTDOOR WOOD

ENERGY WOOD

SOLID STRUCTURAL  
TIMBER:

- planed and chamfered

QLH-DUO-PLUS®:

- cut core-separated and made of two half-round timbers
- glued

QUALITY:

- N-vis (non-visible area)

PEFC

PEFC/04-32-0001

CE




DECLARATIONS OF PERFORMANCE





form stability


dimensional stability


calculable grade- and quality-controlled

Examples of applications: Roof and wall finishing, carport/ pergola, canopy, etc.

	Quality/ Grading	Dimension (mm)	Length (mm)	Packaging type			EAN	Supplier item number
				pcs/ bundle	bundles/ pallet	pcs/ pallet		
Solid structural timber N-vis, spruce/fir, planed and chamfered, PEFC, made in Germany 								
 <div><p>N-vis</p></div>	40 x 60	2500			36	4000868341242	3400022702500	
		3000			36	4000868341587	3400022703000	
		4000			36	4000868341372	3400022704000	
	60 x 80	2500			14	4000868341518	3400032202500	
		3000			14	4000868341525	3400032203000	
		4000			14	4000868341532	3400032204000	
	60 x 100	2500			11	4000868341235	3400032002500	
		3000			11	4000868341501	3400032003000	
		4000			11	4000868341341	3400032004000	
	60 x 120	3000			9	4000868341402	3400042003000	
		6000			36	4000868342133	3400085406000	
	60 x 140	6000			40	4000868342140	3400085506000	
60 x 160	6000			35	4000868342225	3400086306000		

	Quality/ Grading	Dimension (mm)	Length (mm)	Packaging type			EAN	Supplier item number
				pcs/ bundle	bundles/ pallet	pcs/ pallet		
Solid structural timber N-vis, spruce/fir, planed and chamfered, PEFC, made in Germany 								
	 N-vis 	80 x 100	2500			11	4000868341228	3400049002500
			3000			11	4000868341549	3400049003000
			4000			11	4000868340115	3400049004000
	80 x 120	2500			9	4000868341211	3400051102500	
		3000			9	4000868341440	3400057703000	
		4000			9	4000868341358	3400051104000	
		6000			36	4000868342232	3400086406000	
	80 x 140	2500			8	4000868341563	3400050902500	
		3000			8	4000868341556	3400050903000	
		4000			8	4000868025869	3400050904000	
		6000			32	4000868342157	3400085606000	
	80 x 160	2500			7	4000868341204	3400048802500	
		3000			7	4000868341426	3400057603000	
		4000			7	4000868341365	3400048804000	
		6000			28	4000868342249	3400086506000	
	80 x 200	6000			20	4000868342164	3400085706000	
	100 x 100	2500			11	4000868341594	3400008502500	
		3000			11	4000868341419	3400008503000	
6000				33	4000868342256	3400086606000		
100 x 120	3000			9	4000868341433	3400008603000		
	6000			27	4000868342263	3400086706000		
100 x 160	6000			21	4000868342171	3400085806000		
100 x 180	6000			18	4000868342188	3400085906000		
120 x 120	2500			9	4000868341570	4400160702500		
	3000			9	4000868341051	4400160703000		
	6000			18	4000868342270	4400160606000		

Solid structural timber N-vis, spruce/fir, planed and chamfered, PEFC, made in Germany 



NEW

THICKNESS	WIDTH			
	60 mm.	80 mm	100 mm.	120 mm
	100 mm.	x	x	x
	120 mm	x	x	x
	140 mm	x	x	x
	160 mm	x	x	x
	180 mm	x	x	x
	200 mm	x	x	x
	240 mm	x	x	x

Lengths: 2.0 0-8.00 m in fixed cut (±1 cm)  
Delivery time: at least 2 weeks with warehouse delivery  
Please note: orders cannot be cancelled at a later date!

SAWN TIMBER, UNPLANED, TECHNICALLY DRIED

✓ durable  
✓ stable  
✓ rugged

PRODUCT DESCRIPTION:

unplaned  
fine saw cut  
cut to length  
EAN-coded



PEFC  
PEFC/04-32-0001

Examples of applications: Shell construction, ceiling boarding, boarding work, scaffolding, covering, garden design, ...

	Quality/ Grading	Dimension (mm)	Length (mm)	Packaging type			EAN	Supplier item number		
				pcs/ bundle	bundles/ pallet	pcs/ pallet				
Boards, spruce/fir, unplaned, PEFC, made in Germany 										
	 1 ★★★★★	23 x 100	2000			99	4000868701619	1280002102000		
			3000			99	4000868701411	1280002103000		
		23 x 120	2000			81	4000868702685	1280002402000		
			3000			81	4000868701466	1280002403000		
		23 x 150	4000			81	4000868701480	1280002404000		
 2 ★★★			2000			63	4000868738899	1280002702000		
			3000			63	4000868702494	1280002703000		
23 x 100		3000			165	4000868715500	1280002303000			
		4000			165	4000868740113	1280002304000			
23 x 160		4000			126	4000868738707	1280003604000			
 2 PT ★★★		23 x 180	3000			126	4000868740120	1280003803000		
		23 x 100	3000			165	4000868735317	1280003403000		
		23 x 120	3000			135	4000868735300	1280003503000		

Planks, spruce/fir, unplaned, PEFC, made in Germany 								
	 1 ★★★★★	40 x 200	2000			40	4000868724069	1280008302000
			3000			40	4000868711977	1280008303000
		45 x 280	3000			36	4000868713384	1280008903000
			3000			30	4000868742650	1280009903000
		50 x 220	4000			30	4000868742667	1280009904000

Planks, spruce/fir, with corrugated strip, unplaned, PEFC, made in Germany 								
	 1 ★★★★★	45 x 280	3000			36	4000868711649	1280009003000

CONSTRUCTION TIMBER, UNPLANED, TECHNICALLY DRIED

✓ climate-friendly  
✓ no chemical wood protection

PRODUCT DESCRIPTION:

fine saw cut,  
sharp-edged  
cut to length,  
EAN-coded



PEFC  
PEFC/04-32-0001

Examples of applications: Roof construction, substructures, partition walls, shelving, fence construction, railings, pergolas, garden sheds, trellises, wood constructions of all kinds, ...

	Quality/ Grading	Dimension (mm)	Length (mm)	Packaging type			EAN	Supplier item number
				pcs/ bundle	bundles/ pallet	pcs/ pallet		
Trellis slats, spruce/fir, unplaned, PEFC, made in Germany 								
	 1 ★★★★★	17 x 37	3000	18	30	540	4000868711021	1280000703000
Slats, spruce/fir, unplaned, PEFC, made in Germany 								
	 1 ★★★★★	24 x 48	2000	10	36	360	4000868711373	1280003902000
			2500	10	36	360	4000868711366	1280003902500
			3000	10	36	360	4000868711380	1280003903000
			4000	10	36	360	4000868711779	1280003904000
	 1 PT ★★★★★	24 x 48	2000	10	36	360	4000868711335	1280004102000
			2500	10	36	360	4000868711328	1280004102500
			3000	10	36	360	4000868711397	1280004103000
			4000	10	36	360	4000868712134	1280004104000
	 1 ★★★★★	28 x 48	2000	10	32	320	4000868711250	1280005402000
			2500	10	32	320	4000868711274	1280005402500
			3000	10	32	320	4000868711281	1280005403000
			4000	10	32	320	4000868711304	1280005404000
	 1 PT ★★★★★	28 x 48	2000	10	32	320	4000868731838	1280005602000
			3000	10	32	320	4000868711298	1280005603000
 1 ★★★★★	 1 ★★★★★	30 x 50	3000	10	28	280	4000868735454	1280006203000
			4000	10	28	280	4000868735461	1280006204000
		38 x 38	3000	6	45	270	4000868711403	1280006703000

TIMBER

OUTDOOR WOOD

ENERGY WOOD

© rettermeier® 21/12/23

28

29



MULTI-PURPOSE PANELS:

- hot-dip galvanised C-profile edge protection
- planed on three sides
- rear side levelled
- oil pressure-treated
- EAN-coded

3-PLY FORMWORK PANELS:

- E-profile edge protection
- glued to be water and alkali-resistant (AW 100)
- hot-compressed artificial resin layer
- edges sealed





MULTIPURPOSE PANELS/  
FORMWORK PANELS

- ✓ durable
- ✓ excellent stability/  
service life



Examples of applications: Structural works, shuttering, scaffolding, covering, multifunctional uses, ...

Quality/ Grading	Dimension (mm)	Thick- ness (mm)	Packaging type			EAN	Supplier item number
			pcs/ bundle	bundles/ pallet	pcs/ pallet		



Multipurpose boards, spruce/fir, C-profile edge protection, PEFC, made in Europe

	 Standard ★★★	500 x 1500	20		50	4000868850102	4640004700000
		500 x 2000	20		50	4000868709295	4640004800000

3-ply formwork panels, spruce/fir, E-profile edge protection, red, PEFC, made in Europe

	 Standard ★★★	500 x 1500	21		30	4000868728593	4600001100000
		500 x 2000	21		30	4000868728616	4600001200000
		500 x 2500	21		30	4000868728630	4600001300000

3-ply formwork panels, spruce/fir, without E-profile edge, yellow, PEFC, made in Europe

	 Standard ★★★	500 x 2000	27		40	4000868728807	4600004900000
		500 x 2500	27		40	4000868728821	4600005100000
		500 x 3000	27		40	4000868728838	4600005200000

SOLID TIMBER PANELS,  
NATURAL GROWTH, SPRUCE/FIR

- ✓ for the simplest  
applications
- ✓ ecological material

PRODUCT DESCRIPTION:


- 18 mm thick
- natural growth quality
- sanded to a smooth finish
- EAN-coded, labelled
- D3 glued





Examples of applications: Furniture construction, shelf construction, extensions, realisation of wood concepts, ...

Quality/Grading	Dimension (mm)	Thickness (mm)	Minimum order/item	EAN	Supplier item number
-----------------	----------------	----------------	--------------------	-----	-------------------------

Solid wood furniture panels, spruce/fir, individually shrink-wrapped, edges chamfered, PEFC, made in Europe

	 natural growth ★★	600 x 200	18	25	4000868736734	4100047100000
		600 x 300	18	25	4000868736758	4100047300000
		600 x 400	18	25	4000868736765	4100047400000
		800 x 200	18	25	4000868733757	4100022500000
		800 x 250	18	25	4000868733764	4100022600000
		800 x 300	18	25	4000868733771	4100022700000
		800 x 400	18	25	4000868733788	4100022800000
		1200 x 200	18	25	4000868733795	4100023100000
		1200 x 250	18	25	4000868733801	4100023200000
		1200 x 300	18	25	4000868733818	4100023300000
		1200 x 400	18	25	4000868733825	4100023400000
		2000 x 200	18	25	4000868733832	4100023700000
		2000 x 250	18	25	4000868733849	4100023800000
		2000 x 300	18	25	4000868733856	4100023900000
		2000 x 400	18	25	4000868733863	4100024000000

Solid wood furniture panels, spruce/fir, without shrink-wrapping, PEFC, made in Europe

	 natural growth ★★	600 x 200	18	25	4000868735324	4100029100000
		600 x 300	18	25	4000868735355	4100029800000
		600 x 400	18	25	4000868735362	4100030300000
		800 x 200	18	25	4000868735096	4100028900000
		800 x 300	18	25	4000868735119	4100029400000
		800 x 400	18	25	4000868735157	4100030000000
		1200 x 200	18	25	4000868735348	4100029300000
		1200 x 300	18	25	4000868735133	4100029600000
		1200 x 400	18	25	4000868735379	4100030400000
		2000 x 200	18	25	4000868735102	4100029000000
		2000 x 300	18	25	4000868735140	4100029700000
		2000 x 400	18	25	4000868735171	4100030200000

TIMBER

OUTDOOR WOOD

ENERGY WOOD

**SOLID TIMBER PANELS,  
STANDARD, SPRUCE/FIR**

- ✓ cost-effective
- ✓ for creative applications
- ✓ ecological material







## PRODUCT DESCRIPTION:

- 18 mm/28 mm thick
- standard quality
- sanded to a smooth finish
- chamfered edges
- EAN-coded, labelled
- D3 glued

- 18 mm/28 mm thick
- standard quality
- sanded to a smooth finish
- chamfered edges
- EAN-coded, labelled
- D3 glued



Examples of applications: Furniture construction, shelf construction, extensions, realisation of wood concepts, ...

		Quality/Grading	Dimension (mm)	Thickness (mm)	EAN	Supplier item number
Solid wood furniture panels, spruce/fir, individually shrink-wrapped, PEFC, made in Europe 						
	 Standard 	600 x 200	18	4000868712554	4100018800000	
			28	4000868713605	4100085300000	
	600 x 250	18	4000868712561	4100018900000		
		28	4000868713612	4100085400000		
	600 x 300	18	4000868712578	4100019000000		
		28	4000868713629	4100085500000		
	600 x 400	18	4000868712585	4100019100000		
		28	4000868713636	4100085600000		
	800 x 150	18	4000868734358	4100015500000		
	800 x 200	18	4000868708373	4100014800000		
28		4000868713650	4100082200000			
800 x 250	18	4000868708380	4100015100000			
	28	4000868713667	4100082300000			
800 x 300	18	4000868708397	4100014900000			
	28	4000868713674	4100082400000			
800 x 400	18	4000868708441	4100015000000			
	28	4000868713681	4100082500000			
800 x 500	18	4000868703033	4100015200000			
	28	4000868727930	4100082600000			
800 x 600	18	4000868703378	4100015300000			
	28	4000868727947	4100082700000			
1000 x 200	18	4000868702531	4100018100000			
	28	4000868703286	4100082800000			
1000 x 250	18	4000868702548	4100018200000			
	28	4000868702586	4100082900000			
1000 x 300	18	4000868702555	4100018300000			
	28	4000868702593	4100083000000			
1000 x 400	18	4000868702562	4100018400000			
	28	4000868702609	4100083100000			
1000 x 500	18	4000868703026	4100018500000			
1000 x 600	18	4000868731036	4100018600000			

© rettenmeier® 21/12/23

	Quality/Grading	Dimension (mm)	Thickness (mm)	EAN	Supplier item number
Solid wood furniture panels, spruce/fir, individually shrink-wrapped, made in Europe 					
	 Standard 	1200 x 200	18	4000868708502	4100017200000
			28	4000868702616	4100083600000
		1200 x 250	18	4000868710093	4100017500000
			28	4000868702623	4100083700000
		1200 x 300	18	4000868708519	4100017300000
			28	4000868702630	4100083800000
		1200 x 400	18	4000868708526	4100017400000
			28	4000868702647	4100083900000
		1200 x 500	18	4000868703057	4100017600000
			28	4000868740069	4100084100000
1200 x 600	18	4000868704313	4100017700000		
	28	4000868727954	4100084200000		
1200 x 800	28	4000868703088	4100084000000		
1500 x 200	18	4000868703422	4100020700000		
1500 x 250	18	4000868703439	4100020800000		
1500 x 300	18	4000868703446	4100020900000		
1500 x 400	18	4000868703453	4100021000000		
1500 x 500	18	4000868727510	4100021100000		
1500 x 600	18	4000868727527	4100021200000		
1800 x 800	28	4000868703118	4100086800000		
2000 x 200	18	4000868708533	4100016200000		
	28	4000868702739	4100084300000		
2000 x 250	18	4000868708540	4100016500000		
	28	4000868702746	4100084400000		
2000 x 300	18	4000868708557	4100016300000		
	28	4000868702753	4100084500000		
2000 x 400	18	4000868708564	4100016400000		
	28	4000868702760	4100084600000		
2000 x 500	18	4000868711175	4100016600000		
	28	4000868702807	4100084700000		
2000 x 600	18	4000868711182	4100016700000		
	28	4000868702814	4100084800000		
2000 x 800	18	4000868730909	4100016800000		
	28	4000868703095	4100084900000		
2400 x 200	18	4000868711168	4100016100000		
	28	4000868704559	4100081600000		
2400 x 250	18	4000868708571	4100015600000		
	28	4000868708595	4100081400000		
2400 x 300	18	4000868708588	4100015700000		
	28	4000868704566	4100081700000		
2400 x 400	18	4000868702500	4100015800000		
	28	4000868704573	4100081800000		
2400 x 500	18	4000868702517	4100015900000		
	28	4000868708601	4100081500000		
2400 x 600	18	4000868702524	4100016000000		
	28	4000868702579	4100081900000		

PRODUCT DESCRIPTION:

- 19 mm thick
- exclusive quality
- glued in three layers
- sanded to a smooth finish
- chamfered edges
- EAN-coded, labelled



3-LAYER PANELS,  
EXCLUSIVE, SPRUCE/FIR

- ✓ constructive
- ✓ excellent form stability
- ✓ high load-bearing capacity
- ✓ excellent resilience to changes in temperature and climate conditions
- ✓ useful for reinforcing
- ✓ ecological material

Examples of applications: High-quality construction of door fronts, shelves and all extension concepts, ...

PRODUCT DESCRIPTION:

- 18 mm thick
- natural growth quality
- sanded to a smooth finish
- chamfered edges
- EAN-coded, labelled
- D3 glued






SOLID TIMBER PANELS,  
NATURAL GROWTH, PINE

- ✓ for the simplest applications
- ✓ ecological material

Examples of applications: Furniture construction, shelf construction, extensions, realisation of wood concepts, ...

	Quality/Grading	Dimension (mm)	Thickness (mm)	EAN	Supplier item number
3-ply furniture panel, spruce/fir, individually shrink-wrapped, PEFC, made in Europe 					
 <div> Exclusive ★★★★★</div>		800 x 400	19	4000868770004	4080000000000
		800 x 500	19	4000868770011	4080000100000
		800 x 600	19	4000868770028	4080000200000
		1200 x 400	19	4000868770035	4080000300000
		1200 x 500	19	4000868770042	4080000400000
		1200 x 600	19	4000868770059	4080000500000
		2000 x 400	19	4000868770066	4080000600000
		2000 x 500	19	4000868770073	4080000700000
		2000 x 600	19	4000868770080	4080000800000

	Quality/Grading	Dimension (mm)	Thickness (mm)	EAN	Supplier item number
Solid wood furniture panels, pine, individually shrink-wrapped, PEFC, made in Europe 					
 <div> natural growth ★★</div>		600 x 200	18	4000868744227	4140018500000
		600 x 300	18	4000868744241	4140018700000
		600 x 400	18	4000868744258	4140018800000
		800 x 200	18	4000868743565	4140016100000
		800 x 250	18	4000868743572	4140016200000
		800 x 300	18	4000868743589	4140016300000
		800 x 400	18	4000868743596	4140016400000
		1200 x 200	18	4000868743602	4140016500000
		1200 x 250	18	4000868743619	4140016600000
		1200 x 300	18	4000868743626	4140016700000
		1200 x 400	18	4000868743633	4140016800000
		2000 x 200	18	4000868743640	4140016900000
		2000 x 250	18	4000868743657	4140017000000
		2000 x 300	18	4000868743664	4140017100000
		2000 x 400	18	4000868743671	4140017200000





## SOLID WOOD PANELS, STANDARD, BEECH, OAK, ACACIA


- ✓ for creative applications
- ✓ ecological material

### PRODUCT DESCRIPTION:





- 18 mm thick
- standard quality
- sanded to a smooth finish
- chamfered edges
- Slats finger-jointed
- EAN-coded, labelled



- 18 mm thick
- standard quality
- sanded to a smooth finish
- chamfered edges
- Slats finger-jointed
- EAN-coded, labelled



Examples of applications: Floors in living spaces, attics, outbuildings, garden houses, ...

Quality/Grading		Dimension (mm)	Thickness (mm)	EAN	Supplier item number
Solid wood furniture panels, beech, individually shrink-wrapped, FSC®-certified 100%, made in Europe 					
 <div> Standard </div>	800 x 200	18	4000868733900	4210008100000	
	800 x 300	18	4000868733924	4210008300000	
	800 x 400	18	4000868733931	4210008400000	
	800 x 500	18	4000868743428	4210008600000	
	800 x 600	18	4000868743435	4210008700000	
	1200 x 200	18	4000868733948	4210008800000	
	1200 x 300	18	4000868733962	4210009000000	
	1200 x 400	18	4000868733979	4210009100000	
	1200 x 500	18	4000868743442	4210009300000	
	1200 x 600	18	4000868743459	4210009400000	
	2000 x 200	18	4000868733986	4210009500000	
	2000 x 300	18	4000868734006	4210009700000	
	2000 x 400	18	4000868734013	4210009800000	
	2000 x 500	18	4000868739001	4210009900000	
	2000 x 600	18	4000868739018	4210010000000	
	2500 x 200	18	4000868737984	4210014000000	
	2500 x 300	18	4000868738004	4210014600000	
	2500 x 400	18	4000868738011	4210014700000	
	2500 x 500	18	4000868738028	4210014800000	
	2500 x 600	18	4000868738035	4210014900000	

	Quality/Grading	Dimension (mm)	Thickness (mm)	EAN	Supplier item number
Solid wood furniture panels, oak, individually shrink-wrapped, FSC®-certified 100%, made in Europe 					
	 Standard 	800 x 200	18	4000868739032	4210015100000
		800 x 300	18	4000868739049	4210015200000
		800 x 400	18	4000868739056	4210015300000
		800 x 600	18	4000868741608	4210015400000
		1200 x 200	18	4000868739070	4210015600000
		1200 x 300	18	4000868739087	4210015700000
		1200 x 400	18	4000868739094	4210015800000
		1200 x 600	18	4000868741615	4210015900000
		2000 x 200	18	4000868739759	4210016400000
		2000 x 300	18	4000868739100	4210016000000
		2000 x 400	18	4000868739117	4210016100000
		2000 x 500	18	4000868739124	4210016200000
		2000 x 600	18	4000868739131	4210016300000

Solid wood furniture panels, acacia, oiled, individually shrink-wrapped, FSC®-certified 100%,  
made in Vietnam (Asia) 



  
Standard  


800 x 200	18	4000868743466	4180006000000
800 x 300	18	4000868743473	4180006100000
800 x 400	18	4000868743480	4180006200000
1200 x 200	18	4000868743497	4180006300000
1200 x 300	18	4000868743503	4180006400000
1200 x 400	18	4000868743510	4180006500000
2000 x 200	18	4000868743527	4180006600000
2000 x 300	18	4000868743534	4180006700000
2000 x 400	18	4000868743541	4180006800000



**SOLID TIMBER MULTI-PURPOSE  
WORKING PANELS, STANDARD**

- front side/back side
- standard quality
- sanded to a smooth finish
- shrink-wrapped, EAN-coded, labelled
- Slats finger-jointed







- ✓ heavy duty design for solid wood
- ✓ requirements ecological material




Examples of applications: Counters, workbenches, window sills, benches, realisation of wood concepts, ...


	Quality/Grading	Dimension (mm)	Thickness (mm)	EAN	Supplier item number
Solid wood multi-purpose <b>worktop</b> , spruce/fir, one long edge rounded at the top, PEFC, made in Europe 					
 Standard		600 x 1500	40	4000868725097	4220006100000
		600 x 2000	40	4000868725592	4220006400000
		600 x 2400	40	4000868725110	4220006200000







Solid wood multi-purpose worktop, pine, one long edge rounded at the top, PEFC, made in Europe 						
	 Standard 	600 x 1800	28	4000868744609	4220010100000	
		600 x 2400	28	4000868763495	4220012200000	
		600 x 3000	28	4000868713452	4220002100000	
		600 x 2400	40	4000868727848	4220006900000	






Solid wood multi-purpose worktop, beech, one long edge rounded at the top, FSC®-certified 100%, made in Europe 					
	 Standard	600 x 2400	18	4000868762078	4220000900000
		635 x 2400	27	4000868763433	4220011700000
		635 x 3000	27	4000868763440	4220011800000



Quality/Grading	Dimension (mm)	Thickness (mm)	EAN	Supplier item number
<b>Solid wood multi-purpose worktop</b> , beech, chamfered longitudinal edge at top and bottom, FSC®-certified 100%, made in Europe 				
	 635 x 3000	40	4000868763471	4220012100000



Solid wood multi-purpose <b>worktop</b> , oak, chamfered one long edge at the top and bottom, FSC®-certified 100%, made in Europe 					
		635 x 2400	27	4000868763457	4220011900000
		650 x 3000	38	4000868743183	4220006000000



**Solid wood multi-purpose worktop**, acacia, oiled, one long edge chamfered at the top and bottom, FSC®-certified 100%, made in Vietnam (Asia) 



**LEARN  
MORE...**



# CARE

## INSTRUCTIONS

for permanently optimal condition

- ✓ optimal post-treatment of our rettenmeier® products
- ✓ longer lasting
- ✓ Internal and external protection



# SOLID WOOD TABLE TOPS

✓ high-quality processing  
✓ ecological material

### PRODUCT DESCRIPTION:

- 26 mm/28 mm thick
- solid
- sanded to a smooth finish
- shrink-wrapped, EAN-coded, labelled



Examples of applications: Dining table, coffee table, desk, children's table, bistro table, ...

	Quality/Grading	Dimension (mm)	Thickness (mm)	EAN	Supplier item number
Solid wood tabletops, spruce/fir, edges rounded at the top, PEFC, made in Europe					
	 Exclusive ★★★★★	800 x 800	28	4000868709035	4380000200000
		800 x 1000	28	4000868725585	4380000600000
		800 x 1200	28	4000868709042	4380000300000
		800 x 1400	28	4000868709059	4380000400000
		800 x 1800	28	4000868709066	4380000500000

Solid wood tabletops, spruce/fir, bevelled edges, PEFC, made in Europe					
	 Exclusive ★★★★★	Ø 600	28	4000868708977	4380000700000
		Ø 900	28	4000868708984	4380000800000
		Ø 1100	28	4000868708991	4380000900000

Solid wood table tops, pine, bevelled edges, rounded corners, PEFC, made in Europe					
	 Standard ★★★	800 x 1200	28	4000868763501	4380014600000
		800 x 1800	28	4000868763488	4380017700000

	Quality/Grading	Dimension (mm)	Thickness (mm)	EAN	Supplier item number
Solid wood tabletops, beech, top rounded edges, FSC®-certified 100%, made in Europe					
	 Exclusive ★★★★★	800 x 800	28	4000868725189	4380004800000
		800 x 1200	28	4000868709165	4380004600000
		800 x 1500	28	4000868724885	4380004900000
		800 x 1800	28	4000868724939	4380004700000

Solid wood tabletops, beech, bevelled edges, FSC®-certified 100%, made in Europe					
	 Exclusive ★★★★★	Ø 800	28	4000868724892	4380005100000




Solid wood tabletops, long edges rounded at the top, oak, FSC®-certified 100%, made in Europe					
	 Standard ★★★	800 x 1200	28	4000868741899	4380005900000
		800 x 1800	28	4000868741905	4380006000000




Solid wood tabletops, acacia, oiled, rounded edges, FSC®-certified 100%, made in Vietnam (Asia)					
	 Standard ★★★	800 x 1200	28	4000868743404	4380006700000
		800 x 1800	28	4000868743411	4380006800000

TIMBER

OUTDOOR WOOD







ENERGY WOOD

	Quality/Grading	Dimension (mm)	Thickness (mm)	EAN	Supplier item number
Solid wood tabletops with wane, wild oak, oiled, chamfered front edges, FSC®-certified 100%, made in Europe 					
 <div> Standard ★★★</div>		800 x 1200	28	4000868764102	4380018200000
		800 x 1800	28	4000868763945	4380018100000
		1000 x 2000	28	4000868764119	4380018300000

Solid wood tabletops with wane, ash, natural, chamfered front edges, FSC®-certified 100%, made in Europe 					
 <div> Standard ★★★ <div>NEW</div></div>		800 x 1200	26	4000868764133	4380018500000
		800 x 1800	26	4000868764126	4380018400000



Examples of applications: Furniture construction, shelf construction, extensions, realisation of wood ideas, ...

	Quality/Grading	Dimension (mm)	Length (mm)	Minimum order/item	EAN	Supplier item number
Furniture bars, spruce/fir, chamfered edges, FSC® certified 100%, made in Europe 						
 <div> 1 ★★★★★</div>		32 x 38	2500	1	4000868762610	4300006100000
		35 x 45	2500	1	4000868762641	4300006300000
		38 x 58	2500	1	4000868762627	4300006500000
		44 x 44	2400	2	4000868709967	4300001800000
		44 x 94	2400	2	4000868709981	4300002400000
		45 x 45	2500	1	4000868762634	4300006700000
		54 x 54	2400	2	4000868719935	4300004100000
		58 x 58	2500	1	4000868762658	4300006900000
		58 x 78	2500	1	4000868762665	4300007100000
Furniture bars, beech, chamfered edges, FSC® certified 100%, made in Europe 						
 <div> 1 ★★★★★</div>		44 x 44	2500	2	4000868732149	4340002500000
		44 x 74	2500	2	4000868732163	4340002700000

# SOLID TIMBER STEPS

✓ heavy-duty variant for very high demands













**PRODUCT DESCRIPTION:**

- sanded to a smooth finish
- D3 glued
- shrink-wrapped, EAN-coded, labelled
- standard quality



Examples of applications: Stairs, window sills, benches, etc.

</

	Quality/Grading	Dimension (mm)	Thickness (mm)	EAN	Supplier item number
Solid wood steps, underside grooved for combination with first riser, spruce/fir, PEFC, made in Germany 					
 <div>NEW</div>	 Standard ★★★	350 x 800	28	4000868736307	4220003300000
		350 x 900	28	4000868736314	4220003400000
		350 x 1000	28	4000868736321	4220003500000
First risers, screen suitable for solid wood steps, spruce/fir, PEFC, made in Germany 					
 <div>NEW</div>	 Standard ★★★	1100 x 140	18	4000868736383	4220000000000
		1100 x 160	18	4000868736390	4220000100000
		1100 x 180	18	4000868736475	4220000500000
Solid wood steps, underside grooved for combination with first riser, beech, FSC®-certified 100%, made in Europe 					
 <div>NEW</div>	 Standard ★★★	350 x 800	27	4000868736345	4220003700000
		350 x 900	27	4000868736352	4220003800000
		350 x 1000	27	4000868736369	4220003900000
		350 x 1100	27	4000868736376	4220004000000
First risers, screen matching the solid wood step, beech, FSC®-certified 100%, made in Europe 					
 <div>NEW</div>	 Standard ★★★	1100 x 140	18	4000868736406	4220000200000
		1100 x 160	18	4000868736413	4220000300000
		1100 x 180	18	4000868736468	4220000400000

# TREND WOOD

## TREND WOOD

Rustic and urban is on trend. It exudes warmth, comfort and naturalness – three qualities that are important for a cosy home. The special character is in demand from building owners as well as architects and furniture designers and the perfect building material for your creative ideas.

URBAN  
LIVING  
WOOD  
PAGE 15

LEARN  
MORE ...



### PRODUCT DESCRIPTION:

- approx. 24 mm thick
- rustic design
- levelled
- sharp edges
- EAN-coded, labelled



- ✓ rustic trend wood
- ✓ cosy charm
- ✓ natural look with natural features
- ✓ a real eye-catcher in your home

Examples of applications: Furniture construction, shelf construction, extensions, realisation of wood ideas, decorative applications, ...

Quality/Grading	Dimension (mm)	Thickness (mm)	Minimum order/item	EAN	Supplier item number
Solid wood board "Rustic", beech, PEFC, made in Germany					
 IV ★★	800 x 100 - 150	24	1	4000868810496	3250004000800
	800 x 151 - 200	24	1	4000868810502	3250004100800
	800 x 201 - 250	24	1	4000868810519	3250004200800
	1200 x 100 - 150	24	1	4000868810144	3250000601200
	1200 x 151 - 200	24	1	4000868810151	3250000701200
	1200 x 201 - 250	24	1	4000868810168	3250000801200
	2000 x 100 - 150	24	1	4000868810175	3250000902000
	2000 x 151 - 200	24	1	4000868810182	3250001002000
	2000 x 201 - 250	24	1	4000868810199	3250001102000
Glulam panel, pine, flamed, antique, PEFC, made in Germany					
 Standard ★★★	800 x 200	18	1	4000868748621	4140059700000
	800 x 300	18	1	4000868748645	4140059900000
	800 x 400	18	1	4000868748652	4140060000000
	2000 x 200	18	1	4000868748669	4140060100000
	2000 x 300	18	1	4000868748683	4140060300000
	2000 x 400	18	1	4000868748690	4140060400000

RUSTIC  
BEECH

TIMBER

OUTDOOR WOOD

ENERGY WOOD

- ✓ creative wood
- ✓ ecological material
- ✓ each board is unique


- approx. 24/30 mm thick
- rustic design
- levelled
- EAN-coded, labelled



Quality/Grading	Dimension (mm)	Thickness (mm)	Minimum order/item	EAN	Supplier item number
-----------------	----------------	----------------	--------------------	-----	----------------------



1200 x 200 - 250	30	1	4000868808097	3900051201200
1200 x 260 - 300	30	1	4000868808110	3900051301200
1200 x 300 - 350	30	1	4000868808134	3900051401200
1200 x 360 - 400	30	1	4000868808158	3900051501200
1200 x 400 - 500	30	1	4000868808813	3900100201200
2000 x 200 - 250	30	1	4000868808103	3900051202000
2000 x 260 - 300	30	1	4000868808127	3900051302000
2000 x 300 - 350	30	1	4000868808141	3900051402000
2000 x 360 - 400	30	1	4000868808165	3900051502000
2000 x 400 - 500	30	1	4000868808820	3900100202000



1200 x 200 - 250	30	1	4000868808172	3900051601200
2000 x 200 - 250	30	1	4000868808189	3900051602000

© rettenmeier® 21/12/23

**Solid wood board, unedged on both sides, oak, FSC® certified 100%, made in Europe** 



★ ★

1200 x 200 - 250	24	1	4000868810267	3250002001200
1200 x 260 - 300	24	1	4000868810274	3250002101200
1200 x 300 - 350	24	1	4000868810281	3250002201200
1200 x 360 - 400	24	1	4000868810298	3250002301200
2000 x 200 - 250	24	1	4000868810311	3250002502000
2000 x 260 - 300	24	1	4000868810328	3250002602000
2000 x 300 - 350	24	1	4000868810335	3250002702000
2000 x 360 - 400	24	1	4000868810342	3250002802000



★★

1200 x 150 - 200	24	1	4000868810564	3250004301200
1200 x 200 - 250	24	1	4000868810366	3250003001200
1200 x 260 - 300	24	1	4000868810373	3250003101200
2000 x 150 - 200	24	1	4000868810571	3250004402000
2000 x 200 - 250	24	1	4000868810410	3250003502000
2000 x 260 - 300	24	1	4000868810427	3250003602000

**PRODUCT DESCRIPTION:**

- reclaimed wood from specialists
- chamber dry
- nails removed
- EAN-coded, labelled
- products may differ from the illustration - each piece is unique!

# RECLAIMED WOOD FROM KRAFTHOLZ

✓ real reclaimed wood for your idea







✓ first-class reclaimed quality

✓ ecologically valuable







✓ 100% sustainability


## KRAFTHOLZ<sup>®</sup> by rettenmeier

Examples of applications: Implementation of wood concepts, ...

Application	Dimension (mm)	Lengths (mm)	Packaging unit (items)	EAN	Supplier item number
sunburned/weathered boards, coniferous wood, real old wood, edged/naturally edged, brushed, made in Europe 					
	 17 x 80 - 120	500	1	4000868811103	3270001200000
		1000	1	4000868811110	3270001300000
		1500	1	4000868811127	3270001400000
		2000	1	4000868811134	3270001500000
	17 x 130 - 160	500	1	4000868811141	3270001600000
		1000	1	4000868811158	3270001700000
		1500	1	4000868811165	3270001800000
		2000	1	4000868811172	3270001900000
	17 x 170 - 200	500	1	4000868811189	3270002000000
		1000	1	4000868811196	3270002100000
		1500	1	4000868811202	3270002200000
		2000	1	4000868811219	3270002300000
sunburned/weathered slats, coniferous wood, real old wood, edged, brushed, made in Europe 					
	 6 x 100	500	10 (0.5 m²)	4000868811233	3270002400000
		1000	10 (1.0 m²)	4000868811240	3270002500000
	6 x 140	1000	10 (1.4 m²)	4000868811257	3270002600000
		2000	10 (2.8 m²)	4000868811264	3270002700000
with adhesive strips for easy attachment					

with adhesive strips for easy attachment

	Application	Dimension (mm)	Lengths (mm)	Packaging unit (items)	EAN	Supplier item number		
hand-chopped sides, coniferous wood, genuine used wood, edged/naturally edged, brushed, made in Europe 								
		27 x 80 - 115	500	1	4000868810984	3270000000000		
			1000	1	4000868810991	3270000100000		
			1500	1	4000868811004	3270000200000		
			2000	1	4000868811011	3270000300000		
		27 x 120 - 160	500	1	4000868811028	3270000400000		
			1000	1	4000868811035	3270000500000		
			1500	1	4000868811042	3270000600000		
			2000	1	4000868811059	3270000700000		
			hand-chopped beams, coniferous wood, genuine used wood, brushed, made in Europe 					
					100 - 145 x 100 - 165	250	1	4000868811370
500	1	4000868811066				3270000800000		
1000	1	4000868811073				3270000900000		
1500	1	4000868811080				3270001000000		
2000	1	4000868811097				3270001100000		












PRESENTATION IN BOX POSSIBLE

# MISCELLANEOUS/ TOOLS

- ✓ wide range of applications
- ✓ functional
- ✓ simple assembly
- ✓ stable
- ✓ pre-drilled/pre-assembled

**PRODUCT DESCRIPTION:**

- standard quality
- planed
- EAN-coded, labelled

	Quality/Grading	Dimension (mm)	Packaging unit (items)	EAN	Supplier item number
Basement shelf unit with 4 shelves, coniferous wood, load capacity up to 25 kg, PEFC, made in Germany 					
	 Standard	1700 x 800 x 300	24	4000868820501	5300007600000
		1700 x 800 x 300	52	4000868820006	5300000100000
Professional wooden folding trestle, spruce/fir, working height 86 cm, standard, PEFC, made in Germany 					
	 Standard	800	20	4000868810021	5100001200000
Wooden wedge, beech, made in Germany 					
	 Standard	22 x 50 x 180	100	4000868997012	9600026700000
		40 x 50 x 200	100	4000868997005	9600026800000

	Quality/Grading	Dimension (mm)	Height (mm)	Packaging unit (items)	EAN	Supplier item number
<b>Furniture palette, planed, coniferous wood, colour anthracite</b>						
	 Standard	1200 x 800	130	24	4006850902460	5100008700000
<b>Furniture palette, planed, coniferous wood, colour white</b>						
	 Standard	1200 x 800	130	24	4006850902453	5100008600000

TIMBER

OUTDOOR WOOD

ENERGY WOOD

# OUTDOOR WOOD



rettenmeier®  
OUTDOOR WOOD

## OUTDOOR WOOD

Whether traditional terrace decking, screening, tiles or raised beds, wood as a natural raw material blends perfectly into the garden. rettenmeier® OUTDOOR WOOD stands for **sustainable and high-quality wood products for outdoor use**. Let your garden become a feel-good oasis!

LEARN  
MORE ...



TIMBER

OUTDOOR WOOD

ENERGY WOOD

PLANKS AND TERRACE DECKING

DOUGLAS FIR, LARCH

✓ durable and long-lasting

✓ decorative

✓ durable

✓ slip-resistant

✓ easy to work with

PRODUCT DESCRIPTION:

• EAN-coded, labelled


• various profile variants, as shown


• planed


PEFC


PEFC/04-32-0001


Examples of applications: Terrace and balcony construction, garden and path design, borders and enclosures, fence construction, ...


Application	Dimension (mm)	Length (mm)	Packaging unit (items)	EAN	Supplier item number
Plank/construction board, Douglas fir, smooth, PEFC, made in Germany					
 <div></div>	18 x 90	2000	96	4000868800329	3900005102000
		3000	96	4000868800336	3900005103000
	19 x 70	2000	120	4000868807793	3900011502000
		3000	120	4000868807809	3900011503000
	18 x 145	2000	105	4000868804389	3900005402000
		3000	105	4000868804396	3900005403000
	21 x 120	2000	108	4000868800084	3900013902000
		3000	108	4000868800091	3900013903000


Plank/construction board, Douglas fir, finely fluted/smooth, PEFC, made in Germany					
 <div></div>	19 x 95	2000	220	4000868806796	3900011002000
		3000	220	4000868806949	3900011003000


Plank, Douglas fir, partially fluted/smooth, PEFC, made in Germany					
 <div></div>	21 x 120	2000	108	4000868805928	3900023402000
		3000	108	4000868805935	3900023403000
		4000	108	4000868805942	3900023404000

Application	Dimension (mm)	Length (mm)	Packaging unit (items)	EAN	Supplier item number
Terrace decking, Douglas fir, finely fluted/anti-slip grooves, PEFC, made in Germany					
 <div></div>	28 x 120	2000	72	4000868800053	3900033102000
		2500	72	4000868800060	3900033102500
		3000	72	4000868800077	3900033103000
		4000	72	4000868800657	3900033104000

Terrace decking, Douglas fir, finely fluted/anti-slip grooves, PEFC, made in Germany					
 <div></div>	28 x 145	2000	56	4000868800008	3900033002000
		2500	56	4000868800015	3900033002500
		3000	56	4000868800022	3900033003000
		4000	56	4000868800145	3900033004000
		5000	56	4000868800848	3900033005000

Terrace decking, Douglas fir, texture planed/smooth, PEFC, made in Germany					
 <div></div>	28 x 145	2000	56	4000868833525	3900048002000
		2500	56	4000868833839	3900048002500
		3000	56	4000868833532	3900048003000

Plank, larch, smooth, PEFC, made in Germany					
 <div></div>	19 x 70	2000	120	4000868807830	3900011702000
		3000	120	4000868807847	3900011703000
	19 x 95	2000	88	4000868807854	3900011802000
		3000	88	4000868807861	3900011803000

Terrace decking, larch, partially fluted/smooth, PEFC, made in Germany					
 <div></div>	28 x 145	2000	56	4000868833433	3900045502000
		3000	56	4000868833419	3900045503000
		4000	56	4000868833426	3900045504000

PLANKS AND TERRACE DECKING

SIBERIAN LARCH

✓ durable and long-lasting

✓ decorative

✓ durable

✓ slip-resistant

✓ easy to work with

PRODUCT DESCRIPTION:

• EAN-coded, labelled

• various profile variants, as shown

• planed



PRODUCT DESCRIPTION:

- EAN-coded, labelled
- various profile variants, as shown
- planed

Examples of applications: Terrace and balcony construction, garden and path design, borders and enclosures, fence construction, ...

Application	Dimension (mm)	Length (mm)	Packaging unit (items)	EAN	Supplier item number
Terrace decking, Siberian larch, planed/smooth, FSC®-certified mix					
 <div> ★★★</div>	21 x 120	2000	180	4000868811288	3900132602000
		3000	180	4000868811295	3900132603000
		4000	180	4000868811301	3900132604000

Terrace decking, Siberian larch, grooved/smooth, FSC®-certified mix					
 <div> ★★★</div>	27 x 143	2000	126	4000868811318	3900132702000
		3000	126	4000868811325	3900132703000
		4000	126	4000868811332	3900132704000

Substructure, Siberian larch, smooth, chamfered edges, FSC®-certified mix					
 <div> ★★★</div>	40 x 70	2000	126	4000868811349	3900132802000
		3000	126	4000868811356	3900132803000

PLANKS AND TERRACE DECKING

THERMO PINE

✓ dimensional stability

✓ resistance to wood-destroying fungi

✓ domestic wood

✓ excellent durability thanks to thermal treatment

PRODUCT DESCRIPTION:

• EAN-coded, labelled

• various profile variants, as shown

• planed



PRODUCT DESCRIPTION:

- EAN-coded, labelled
- various profile variants, as shown
- planed

Examples of applications: Floors in living spaces, attics, outbuildings, garden houses, ...

Application	Dimension (mm)	Length (mm)	Packaging unit (items)	EAN	Supplier item number
Terrace decking, thermo pine, finely fluted/smooth, PEFC, made in Europe 					
 <div> ★★★</div>	26 x 117	2100	90	4000868803603	3900028602100
		3000	90	4000868803610	3900028603000

Substructure, Thermo pine, planed, smooth, PEFC, made in Europe 					
 <div> ★★★</div>	42 x 68	3000	90	4000868803061	3900059303000

Distance between construction beams max. 40 cm.

© rettermeier® 21/12/23

62

63

TIMBER

OUTDOOR WOOD

ENERGY WOOD

PLANKS AND TERRACE DECKING,  
CONIFEROUS WOOD, PRESSURE-TREATED

✓ high durability

✓ heavy metal-free impregnation paint

✓ high strength

✓ additional UV protection

✓ low susceptibility to cracking and tearing

✓ decorative appearance

✓ simple to work

PRODUCT DESCRIPTION:

• EAN-coded, labelled

• various profile variants, as shown

• planed

PEFC

PEFC/04-32-0001

Examples of applications: Terrace and balcony construction, garden and path design, borders and enclosures, fence construction, ...

Application	Dimension (mm)	Length (mm)	Packaging unit (items)	EAN	Supplier item number
	21 x 120	2000	126	4000868807502	3900024302000
		3000	126	4000868807519	3900024303000
	28 x 145	2000	84	4000868807526	3900047102000
		2500	84	4000868807977	3900047102500
		3000	84	4000868807533	3900047103000
	28 x 145	2500	84	4000868809780	3900119602500
		3000	84	4000868809797	3900119603000

Plank, coniferous wood, PI (pressure-treated), colour teak, smooth/finely fluted, PEFC, made in Germany

☀

★★★

21 x 120	2000	126	4000868804716	3900018502000
	3000	126	4000868804723	3900018503000
	4000	126	4000868804730	3900018504000

☀

★★★

28 x 145	2000	84	4000868804297	3900039402000
	3000	84	4000868804303	3900039403000
	4000	84	4000868804310	3900039404000

☀

★★★

28 x 145	2000	84	4000868809599	3900045002000
	3000	84	4000868809582	3900045003000

☀

★★★

21 x 120	2000	126	4000868810922	3900128402000
	3000	126	4000868810939	3900128403000

☀

★★★

28 x 145	2000	84	4000868810847	3900128002000
	3000	84	4000868810854	3900128003000

64

© rettermeier® 21/12/23


65

TIMBER

OUTDOOR WOOD

ENERGY WOOD

Application	Dimension (mm)	Length (mm)	Packaging unit (items)	EAN	Supplier item number
-------------	----------------	-------------	------------------------	-----	----------------------

**Plank**, coniferous wood, quality pressure-treated, colour sand, smooth/finely fluted, PEFC, made in Germany 



21 x 120

2000

126

4000868810908


3900128302000

3000

126

4000868810915

3900128303000



**Terrace decking**, coniferous wood, quality pressure-treated, colour sand, partially fluted on 2 sides, PEFC, made in Germany 



25 x 125

2500

144

4000868810809

3900127602500



**Terrace decking**, coniferous wood, quality pressure-treated, colour sand, partially fluted/grooved, PEFC, made in Germany 



28 x 145

2000

84

4000868810823

3900127902000


3000

84

4000868810830

3900127903000



**Terrace decking**, coniferous wood, quality pressure-treated, colour mahogany, partially fluted/grooved, PEFC, made in Germany 



28 x 145

2000

84

4000868810861

3900128102000

3000

84

4000868810878

3900128103000



**ARTWOOD® WPC**

**GCC HOLZart**

- ✓ weatherproof
- ✓ UV-resistant
- ✓ will not turn grey like wood
- ✓ slip-resistant
- ✓ easy to work with

#### PRODUCT DESCRIPTION:

- EAN-coded, labelled
- various profile variants, as shown



Examples of applications: Terrace and balcony construction, ...

Application	Dimension (mm)	Length (mm)	Packaging unit (items)	EAN	Supplier item number
-------------	----------------	-------------	------------------------	-----	----------------------

**Artwood® WPC terrace decking\***, "Classic", colour lightoak, finely fluted/grooved, brushed, PEFC, made in Germany 



21 x 145

2000

56

4000868801838

3940002402000

3000

56

4000868801845

3940002403000

4000

56

4000868801852

3940002404000



**GCC HOLZart**

**Artwood® WPC terrace decking\***, "Classic", colour chestnut, finely fluted/grooved, brushed, PEFC, made in Germany 



21 x 145

2000

56

4000868802552

3940002502000

3000

56

4000868802569

3940002503000

4000

56

4000868802576

3940002504000



**GCC HOLZart**

**Artwood® WPC terrace decking\***, "Classic", colour grey, finely fluted/grooved, brushed, PEFC, made in Germany 



21 x 145

2000

56

4000868805072

3940002602000

3000

56

4000868803856

3940002603000

4000

56

4000868803863

3940002604000



**GCC HOLZart**

\* Note: All WPC terrace decking with a hollow chamber profile must be laid with a gradient of at least 2%.

GCC (German Compact Composite) is a wood-based material with a very high proportion of natural fibres. The principle "Cradle to Cradle" is used holistically, that is, high material health is the top priority and therefore the recyclability of the material and its return to the recycling cycle. In this way, our GCC terrace decking contributes to natural and sustainable construction.

DURABLE & ENVIRONMENTALLY FRIENDLY!

GCC HOLZart

- up to 75% wood fibres from sustainably managed forests
- Cradle to Cradle Certified® at the Gold level

GCC HARZart

- min. 50% wood fibres from sustainably managed forests
- up to 30% recycled resin (from wind turbine blades, amongst other things)
- Cradle to Cradle Certified® at the Gold level

GCC	BRONZE	SILVER	GOLD	PLATINUM
Material health*			✓	✓
Recyclability			✓	
Renewable energy			✓	
Water management			✓	
Corporate Social Responsibility			✓	



\*GCC HOLZart achieves PLATINUM, GCC HARZart achieves GOLD in material health. Cradle to Cradle Certified® is a registered trademark of the Cradle to Cradle Products Innovation Institute. More Information on certification at [www.retteneier.com/en/gcc](http://www.retteneier.com/en/gcc).

PRINCIPLE "CRADLE TO CRADLE"

- ✓ Use of material-healthy substances
- ✓ No use of harmful chemicals
- ✓ Recycling of recycled materials in production
- ✓ Recirculation into the recyclable material cycle
- ✓ Climate-neutral production
- ✓ Protection of people and nature

LEARN MORE...



ARTWOOD® WPC

GCC HARZart



















- ✓ weatherproof
- ✓ UV-resistant
- ✓ will not turn grey like wood
- ✓ slip-resistant
- ✓ easy to work with

PRODUCT DESCRIPTION:

- EAN-coded, labelled
- various profile variants, as shown



Examples of applications: Terrace and balcony construction, ...

Application	Dimension (mm)	Length (mm)	Packaging unit (items)	EAN	Supplier item number	
Artwood® WPC terrace decking*, colour ash grey, finely fluted/grooved, PEFC, made in Germany 						
	21 x 145	 ★★★	2000	56	4000868812124	3940011102000
		3000	56	4000868812131	3940011103000	
		4000	56	4000868812148	3940011104000	
 						
						
Artwood® WPC terrace decking*, colour ebony anthracite, finely fluted/grooved, PEFC, made in Germany 						
	21 x 145	 ★★★	2000	56	4000868812155	3940011202000
		3000	56	4000868812162	3940011203000	
		4000	56	4000868812179	3940011204000	
 						
						
Artwood® WPC terrace decking*, colour Bangkirai Beige, finely fluted/grooved, PEFC, made in Germany 						
	21 x 145	 ★★★	2000	56	4000868812186	3940011302000
		3000	56	4000868812193	3940011303000	
		4000	56	4000868812209	3940011304000	
 						
						

\* Note: All WPC terrace decking with a hollow chamber profile must be laid with a gradient of at least 2%.

\* Note: All WPC terrace decking with a hollow chamber profile must be laid with a gradient of at least 2%.

TIMBER

OUTDOOR WOOD

ENERGY WOOD

CONSTRUCTION  
TIMBERS

✓ durable and long-lasting

✓ resistant

✓ decorative

✓ durable

✓ wide range of applications

PRODUCT DESCRIPTION:

• smooth with chamfered edges

• EAN-coded, labelled

PEFC

PEFC/04-32-0001

Examples of applications: Construction and fastening wood for terrace and balcony construction, garden design, fences, privacy screens, realisation, wood concepts for outdoor use, ...

Examples of applications: Construction and fastening wood for terrace and balcony construction, garden design, fences, privacy screens, realisation, wood concepts for outdoor use, ...

Application	Dimension (mm)	Length (mm)	Packaging unit (items)	EAN	Supplier item number
Frame, Douglas fir, unplanned, PEFC					
 <div><div><div></div><div></div><div></div></div><div>★★★</div></div>	32 x 48	2000	264	4000868805720	3900052702000
		4000	264	4000868807762	3900052704000
Construction timber, Douglas fir, smooth, chamfered edges, PEFC, made in Germany 					
 <div><div><div></div><div></div><div></div></div><div>★★★</div></div>	28 x 45	2000	96	4000868800282	3900033602000
		3000	96	4000868800299	3900033603000
	35 x 70	2000	96	4000868804341	3900056802000
		3000	96	4000868804358	3900056803000
	45 x 70	2000	96	4000868800039	3900061002000
		2500	96	4000868802224	3900061002500
		3000	96	4000868800046	3900061003000
	4000	96	4000868801487	3900061004000	
	70 x 70	2000	32	4000868800107	3900072802000
		3000	32	4000868800114	3900072803000
	90 x 90	2000	24	4000868800121	3900077702000
		3000	24	4000868800138	3900077703000
Substructure, larch, smooth, chamfered edges, PEFC, made in Germany 					
 <div><div><div></div><div></div><div></div></div><div>★★★</div></div>	28 x 45	2000	96	4000868807878	3900047402000
		3000	96	4000868807885	3900047403000
	45 x 70	2000	96	4000868802644	3900062602000
		3000	96	4000868802439	3900062603000
		4000	96	4000868802521	3900062604000
	90 x 90	2000	24	4000868807915	3900081702000
		3000	24	4000868807922	3900081703000

Application	Dimension (mm)	Length (mm)	Packaging unit (items)	EAN	Supplier item number	
Construction timber, coniferous wood, quality pressure-treated, colour Mediterranean, PEFC, made in Germany 						
 <div><div><div></div><div></div><div></div></div><div>★★★</div></div>	45 x 70	2000	90	4000868810885	3900128202000	
		2500	90	4000868811271	3900128202500	
		3000	90	4000868810892	3900128203000	
Construction timber, coniferous wood, quality pressure-treated, colour grey, PEFC, made in Germany 						
 <div><div><div></div><div></div><div></div></div><div>★★★</div></div>	28 x 45	3000	96	4000868807557	3900047203000	
	45 x 70	2000	90	4000868807588	3900066602000	
		3000	90	4000868807595	3900066603000	
	70 x 70	3000	30	4000868807618	3900075403000	
Construction timber, coniferous wood, PI (pressure-treated), colour anthracite, PEFC, made in Germany 						
 <div><div><div></div><div></div><div></div></div><div>★★★</div></div>	45 x 70	2000	90	4000868809810	3900120202000	
		3000	90	4000868809803	3900120203000	
					Product available only upon request	
Construction timber, coniferous wood, PI (pressure-treated), colour teak, PEFC, made in Germany 						
 <div><div><div></div><div></div><div></div></div><div>★★★</div></div>	45 x 70	2000	90	4000868804365	3900063902000	
		3000	90	4000868804372	3900063903000	
					Product available only upon request	
Construction timber, coniferous wood, PI (pressure-treated), colour green, PEFC, made in Germany 						
 <div><div><div></div><div></div><div></div></div><div>★★★</div></div>	45 x 70	2000	90	4000868801463	3900061702000	
		3000	90	4000868801159	3900061703000	
Artwood® WPC substructure, colour anthracite, smooth, PEFC, made in Germany 						
 <div><div><div></div><div></div><div></div></div><div>★★★</div></div>	40 x 40	3000	50	4000868802590	3940006103000	
					Distance between construction beams max. 40 cm.	

TIMBER

OUTDOOR WOOD

ENERGY WOOD

70

© rettermeier® 21/12/23

71

CONSTRUCTION TIMBER

KREATIVO®

✓ durable, long-lasting and decorative

✓ resistant

✓ simple to work

✓ endless design options

PRODUCT DESCRIPTION:

plank, finely ribbed/ smooth & structure planed/smooth on one side

construction timber grooved on one side



PEFC


PEFC/04-32-0001



Examples of applications: Composters, firewood boxes, huts, sandpits, raised beds, fences construction, ...

Application	Dimension (mm)	Length (mm)	Packaging unit (items)	EAN	Supplier item number
-------------	----------------	-------------	------------------------	-----	----------------------



Plank/construction board, Douglas fir, finely fluted/smooth, PEFC, made in Germany 

		19 x 95	2000	220	4000868806796	3900011002000
			3000	220	4000868806949	3900011003000

Plank/construction board, Douglas fir, structure planed/smooth, PEFC, made in Germany 

		19 x 95	2000	88	4000868808479	3900012902000
			3000	88	4000868808486	3900012903000

Construction timber, Douglas fir, grooved, PEFC, made in Germany 

		45 x 45	2000	96	4000868806970	3900065802000
			Groove width fits 19 mm-thick terrace decking/façade planks.			

CONSTRUCTION TIMBER, PRESSURE-TREATED

✓ durable and long-lasting

✓ weatherproof

✓ easy to work with

✓ wide range of applications

PRODUCT DESCRIPTION:

various profile variants, as shown



PEFC

PEFC/04-32-0001



Examples of applications: Composters, firewood boxes, huts, sandpits, raised beds, fences construction, ...

Application	Dimension (mm)	Length (mm)	Packaging unit (items)	EAN	Supplier item number
-------------	----------------	-------------	------------------------	-----	----------------------



Slat, pine, PI (pressure-treated), colour green, rounded edges, smooth, PEFC, made in Germany 










		21 x 45	2500	220	4000868812049	3900138102500
		35 x 55	2500	126	4000868812056	3900138202500

Universal slat, pine, PI (pressure-treated), colour green, head rounded on one side, corrugated/smooth, PEFC, made in Germany 

		21 x 80	1150	196	4000868812063	3900138301150
		21 x 80	1450	196	4000868812070	3900138301450
		21 x 80	1780	196	4000868812087	3900138301780

Board, pine, PI (pressure-treated), colour green, corrugated/smooth, PEFC, made in Germany 

		21 x 90	2500	120	4000868812094	3900138402500
---	---	---------	------	-----	---------------	---------------

Application	Dimension (mm)	Length (mm)	Packaging unit (items)	EAN	Supplier item number
Fence plank,pine, PI (pressure-treated), colour green, finely fluted on both sides, PEFC, made in Germany 					
  	 ★★★	28 x 145	2500	84	4000868812100
					3900138502500
Universal bolt, pine, PI (pressure-treated), colour green, finely fluted/smooth, PEFC, made in Germany 					
  	 ★★★	26 x 90	1780	96	4000868812117
					3900138601780

UNPLANED PRODUCTS  
FOR OUTDOOR USE

✓ decorative

✓ simple, rugged charm

✓ UV-resistant

✓ easy to work with






PRODUCT DESCRIPTION:

- unplaned surface
- EAN-coded, labelled





Examples of applications: Construction of outdoor furniture, benches, tables, planting tables, shelves, ...

Application	Dimension (mm)	Length (mm)	Packaging unit (items)	EAN	Supplier item number
Boards, coniferous wood, quality pressure-treated, colour grey, unplaned, PEFC, made in Germany 					
   ★★★	23 x 100	2000	99	4000868808721	3900101202000
		3000	99	4000868808738	3900101203000
Planks, coniferous wood, quality pressure-treated, colour grey, unplaned, PEFC, made in Germany 					
   ★★★	40 x 200	2000	40	4000868808745	3900101402000
		3000	40	4000868808752	3900101403000






PRODUCT DESCRIPTION:

- EAN-coded, labelled


Examples of applications: Construction and fixing timber for terrace and balcony construction, garden design, fences, privacy screens, realisation of outdoor wood concepts, ...

Application	Dimension (mm)	Length (mm)	Packaging unit (items)	EAN	Supplier item number
-------------	----------------	-------------	------------------------	-----	----------------------

Façade profile, Douglas fir, rhombus profile, smooth, PEFC, made in Germany 

 	 ★★★	28 x 58/70	2000	80	4000868804563	3900039602000
			3000	80	4000868805706	3900039603000

Façade profile, coniferous wood, quality pressure-treated, colour grey, rhombus profile, smooth, PEFC, made in Germany 

 	 ★★★	28 x 58/70	3000	80	4000868807571	3900047303000




FAÇADE PLANKS

- ✓ durable and long-lasting
- ✓ resistant
- ✓ decorative
- ✓ durable
- ✓ wide range of applications





Application	Dimension (mm)	Length (mm)	Packaging unit (items)	EAN	Supplier item number
-------------	----------------	-------------	------------------------	-----	----------------------

Rhombus, Siberian larch, planed, FSC®-certified mix

 	 ★★★	21 x 63/68	1980	96	4000868811882	3900135601980

GCC facade profile, colour Terra, Rhombus Solid, PEFC, made in Germany 

 	 ★★★	20.5 x 70/81	3000	84	4048533596634	3940010603000

GCC facade profile, colour graphite, solid rhombus, PEFC, made in Germany 

 	 ★★★	20.5 x 70/81	3000	84	4048533596627	3940010703000

Dimension (mm)	Thick-ness (mm)	Quantity per packaging unit (items)	Packaging unit (pack/box)	EAN	Supplier item number
----------------	-----------------	-------------------------------------	---------------------------	-----	----------------------

Clamp for GCC facade profile, V2A blackened, made in Germany 

 	83 x 40	15	30	48	4048533596719	9600027400000















PRODUCT DESCRIPTION:

- core separated
- EAN-coded











Examples of applications: Terrace and balcony construction, garden and path design, borders, enclosures, fence construction, realisation of outdoor wood concepts, ...

Application	Dimension (mm)	Length (mm)	Packaging unit (items)	EAN	Supplier item number	
Post, Douglas fir, smooth, chamfered edges, PEFC, made in Germany 						
	 ★★★★	70 x 70	2000	32	4000868800107	3900072802000
			3000	32	4000868800114	3900072803000
	90 x 90	2000	24	4000868800121	3900077702000	
		3000	24	4000868800138	3900077703000	
Post, Douglas fir, head rounded on one side, smooth, PEFC, made in Germany 						
	 ★★★★	90 x 90	1200	24	4000868800206	3900077801200
			1950	24	4000868802507	3900078701950
Post, Douglas fir, head chamfered on one side, smooth, PEFC, made in Germany 						
	 ★★★★	90 x 90	1200	24	4000868804501	3900079801200
			1950	24	4000868804518	3900079801950
Post, larch, chamfered edge, smooth, PEFC, made in Germany 						
	 ★★★★	90 x 90	1800	48	4000868811738	3900134201800

NEW

© rettermeier® 21/12/23

Application	Dimension (mm)	Length (mm)	Packaging unit (items)	EAN	Supplier item number
Post/substructure, coniferous wood, PI (pressure-treated), colour green, PEFC, made in Germany					
 	70 x 70	2000	60	4000868811226	3900075302000
	90 x 90	2000	36	4000868801265	3900078202000
Post/substructure, coniferous wood, colour teak, smooth, PEFC, made in Germany					
 	70 x 70	2000	60	4000868804877	3900074102000
	90 x 90	2000	36	4000868804891	3900080802000
Post, coniferous wood, quality pressure-treated, colour grey, smooth, PEFC, made in Germany					
 	70 x 70	3000	30	4000868807618	3900075403000
Post, coniferous wood, quality pressure-treated, colour grey, unplanned, PEFC, made in Germany					
 	90 x 90	2000	24	4000868808769	3900101602000

TIMBER

OUTDOOR WOOD

ENERGY WOOD

PRODUCT DESCRIPTION:

- solid, high-quality workmanship
- modern elegance
- classical design



SCREEN

✓ durable and long-lasting

✓ resistant













✓ stable













✓ decorative and versatile in application















✓ height adaptable

✓ interchangeable rhombus profile

Examples of applications: Privacy screens and wind protection, fences, terrace and balcony construction, gardening and path design, edging, realisation of wood ideas for outdoors, etc.

Application	Format (mm)	Dimension			Packaging unit (items)	EAN	Supplier item number
		Frame	Slat	Thickness			
"NEO" screen, Douglas fir, straight, PEFC, made in Germany 							
		1800 x 1800	45 x 70	21 x 120	45	8	4000868832849 3920020500000
		Finished dimension = nominal dimension - 20 mm					
"NEO" screen, Douglas fir, straight, PEFC, made in Germany 							
		900 x 1800	45 x 70	21 x 120	45	8	4000868832856 3920020600000
		Finished dimension = nominal dimension - 20 mm					
"NEO" screen end piece, Douglas fir, made in Germany 							
		900 x 1800/900	45 x 70	21 x 120	45	8	4000868832863 3920020700000
		Finished dimension = nominal dimension - 20 mm					
"NEO" fence element, Douglas fir, straight, PEFC, made in Germany 							
		1800 x 900	45 x 70	21 x 120	45	8	4000868806031 3920021100000
		Finished dimension = nominal dimension - 20 mm					

Applica- tion	Format (mm)	Dimension			Packaging unit (items)	EAN	Supplier item number							
		Frame	Slat	Thickness										
Screen Rhombus, larch, PEFC, made in Germany 														
	 ★★★★	1800 x 1800	19 x 70	21 x 65	40	25	4000868811684 3920045600000							
Finished dimension = nominal dimension - 20 mm														
Screen Rhombus, larch, PEFC, made in Germany 														
	 ★★★★	900 x 1800	19 x 70	21 x 65	40	13	4000868811691 3920045700000							
Finished dimension = nominal dimension - 20 mm														
Screen Rhombus, Douglas fir, PEFC, made in Germany 														
	 ★★★★	1800 x 1800	45 x 70	28 x 58	73	16	4000868811707 3920045800000							
Finished dimension = nominal dimension - 20 mm														
Screen Rhombus, Douglas fir, PEFC, made in Germany 														
	 ★★★★	900 x 1800	45 x 70	28 x 58	73	16	4000868811714 3920045900000							
Finished dimension = nominal dimension - 20 mm														

Application	Format (mm)	Dimension			Packaging unit (items)	EAN	Supplier item number
		Frame	Slat	Thickness			
"NEO" screen, coniferous wood, quality pressure-treated, colour grey, unplaned, PEFC, made in Germany 							
 		1800 x 1800	48 x 78	23 x 120	48	8	4000868833808 3920043800000
		Finished dimension = nominal dimension - 20 mm					
"NEO" screen, coniferous wood, quality pressure-treated, colour grey, unplaned, straight, PEFC, made in Germany 							
 		900 x 1800	48 x 78	23 x 120	48	8	4000868833815 3920044000000
		Finished dimension = nominal dimension - 20 mm					
"NEO" screen end piece, coniferous wood, quality pressure-treated, colour grey, unplaned, PEFC, made in Germany 							
 		900 x 1800/900	48 x 78	23 x 120	48	8	4000868833822 3920044200000
		Finished dimension = nominal dimension - 20 mm					
Stainless steel fence hardware incl. stainless steel screws							
 		650 x 400		4.2 x 22 mm 8 x 35 mm	x 16 pcs. x 4 pcs.	4000868999498	9600011200000

FOR A PERMANENTLY OPTIMAL CONDITION!

OUTDOOR WOOD

CARE

- ✓ structural timber protection
- ✓ measures to extend the durability of timber constructions
- ✓ correct fixing and surface treatment

LEARN MORE ...

TIMBER

OUTDOOR WOOD

ENERGY WOOD

- EAN-coded, labelled



- ✓ durable and long-lasting
- ✓ decorative
- ✓ durable
- ✓ anti-slip (anti-slip groove)
- ✓ easy to work with
- ✓ wide range of applications
- ✓ quick to lay

Application	Dimension (mm)	Height (mm)	Packaging unit (items)	EAN	Supplier item number
-------------	-------------------	----------------	------------------------	-----	-------------------------








**NEW**



**NEW**



Application	Dimension (mm)	Height (mm)	Packaging unit (items)	EAN	Supplier item number
<b>Wooden tile, coniferous wood, PI (pressure-treated), colour green, fluted, PEFC, made in Germany</b> 					
	 	500 x 500	32	72	4000868832917
				3920046800000	
				Availability upon request	



NEW

Availability upon request

<b>Artwood® WPC click tile, colour chestnut, grooved, PEFC, made in Germany</b>						
		300 x 300	22	360 (4 pcs. / pack)	4000868804525	3940005100000
		An expansion gap of 2 cm must be included after 12 tiles in a row.				



An expansion gap of 2 cm must be included after 12 tiles in a row.

<b>Artwood® WPC click tile, colour grey, grooved, PEFC, made in Germany</b> 						
		300 x 300	22	360 (4 pcs. / pack)	4000868804532	3940005200000
		An expansion gap of 2 cm must be included after 12 tiles in a row.				




An expansion gap of 2 cm must be included after 12 tiles in a row.

Artwood® GCC click tile, colour Terra, textured, PEFC, made in Germany 						
	 	300 x 300	22	288 (4 pcs. / pack)	4000868807748	3940005900000
		An expansion gap of 2 cm must be included after 12 tiles in a row.				



An expansion gap of 2 cm must be included after 12 tiles in a row.

<b>Artwood® GCC click tile, colour graphite, textured, PEFC, made in Germany</b>						
		300 x 300	22	288 (4 pcs. / pack)	4000868807731	3940005800000
An expansion gap of 2 cm must be included after 12 tiles in a row.						



An expansion gap of 2 cm must be included after 12 tiles in a row.



## TIMBER

## OUTDOOR WOOD

ENERGY WOOD

# NATURAL FLAWS

- ✓ strict quality criteria
- ✓ natural colour interplay
- ✓ cracks due to weather influences
- ✓ knots and cracks
- ✓ influences of ambient humidity

**LEARN  
MORE...**





















PRODUCT DESCRIPTION:

- planed
- chamfered edges
- with rust-proof couplings



Examples of applications: Garden design, outdoor wood concepts, ...

Application	Dimension (mm)	Height (mm)	Packaging unit (items)	EAN	Supplier item number
Raised bed, Douglas fir, partially pre-assembled, with plant film, PEFC, made in Germany					
 	700 x 1500	725	4	4000868805959	3920005500000
	1000 x 2000 *	725	3	4000868805966	3920005600000
					* with centre strut
Raised bed, larch, with plant film, PEFC, made in Germany					
 	1000 x 2000 *	725	4	4000868832955	3920005300000
					* with centre strut
Raised bed, Douglas fir, partially pre-assembled, with plant film, PEFC, made in Germany					
 	575 x 1020	725	4	4000868833471	3920006200000
					on request

Application	Dimension (mm)	Height (mm)	Packaging unit (items)	EAN	Supplier item number
Raised bed, modular design, Douglas fir, basic element, with plant film, PEFC, made in Germany					
 	1000 x 940	725	4	4000868833457	3920006000000
Raised bed, modular design, Douglas fir, add-on element, with plant film, PEFC, made in Germany					
 	1000 x 940 *	725	8	4000868833464	3920006100000
					* with centre strut
Wooden roll-out walkway, Douglas fir/larch, with rot-proof elastic band, made in Germany					
 	250 x 2500	28	18	4000868833785	3920043400000
	350 x 2500	28	18	4000868833792	3920043600000
Sandpit, Douglas fir, PEFC, made in Germany					
 	1500 x 1500	260	12	4000868833440	3920008300000
					on request
Waste bin surround, Douglas fir, single, PEFC, made in Germany					
 	1960 x 880	1175	1	4000868833907	3920046900000
					on request

- ✓ for standard plant boxes from DIY stores (from 30 cm to 100 cm)
- ✓ covered on both sides
- ✓ can be extended as required

- compact DIY kit incl. illustrated assembly instructions
- high-quality Douglas fir, planed
- screwed base frames made of galvanised steel with a black protective layer



Application	Dimension (mm)	Packaging unit (items)	EAN	Supplier item number
-------------	----------------	------------------------	-----	----------------------



Finished dimension = nominal dimension - 15 mm  
without feet



9600027000000

The top image shows a variety of black metal pipe fittings, including elbows, tees, and straight connectors, along with several O-rings. The bottom image is a close-up showing a 90-degree elbow fitting securely joined to a pipe, with the assembly mounted within a wooden frame structure.



9600027200000

Application	Dimension (mm)	Packaging unit (items)	EAN	Supplier item number
-------------	----------------	------------------------	-----	----------------------

Supplier item  
number

9600027300000



3900127301200





# WOOD TERRACE DECKING ACCESSORIES


- ✓ increased durability and service life
- ✓ structural timber protection

**PRODUCT DESCRIPTION:**


- accessories for structural wood protection for terrace decking

Examples of applications: Terrace floors and wooden decking, garden and path design, ...


	Dimension (mm)	Quantity per Packaging unit (items)	Packaging unit (pack/box)	EAN	Supplier item number
--	----------------	-------------------------------------	---------------------------	-----	----------------------

Stainless steel screws with self-tapping tips					
	4,5 x 60	100	16	4000868999849	9600009900000

Spacer for floor planks, distance between joints 5 mm, black, made in Germany 					
---	--	--	--	--	--


	40 x 80 x 5	50	20	4000868999580	9600010800000
	Structural wood protection increases the service life of the terrace. Quantity required for 120 mm-wide plank: 16 pcs per m² Quantity required for 145 mm-wide plank: 14 pcs per m²				

Support pads for substructure, black					
--------------------------------------	--	--	--	--	--


	3 x 60 x 90	60	24	4000868998989	9600011800000
	8 x 60 x 90	48	20	4000868998972	9600011900000
	20 x 60 x 100	20	12	4000868999733	9600010300000
Place under substructure with spacing of 60 cm. Permanently weatherproof thanks to high-quality plastic.					

	Dimension (mm)	Quantity per Packaging unit (items)	Packaging unit (pack/box)	EAN	Supplier item number
--	----------------	-------------------------------------	---------------------------	-----	----------------------


"Small Foot" terrace foot, for levelling gradients up to 30 mm, black, made in Germany 					
--	--	--	--	--	--

	150 x 150 x 35-65	1	30	4000868999566	9600010900000
	Install under substructure with spacing of 50-60 cm. Load-bearing capacity per terrace foot approx. 400 kg. Permanently weatherproof thanks to high-quality plastic.				

"Big Foot" terrace foot, for levelling gradients up to 80 mm, black, made in Germany 					
--	--	--	--	--	--

	190 x 190 x 60-140	1	24	4000868998521	9600012900000
	Install under substructure with spacing of 60 cm. Load-bearing capacity per terrace foot approx. 400 kg. Permanently weatherproof thanks to high-quality plastic.				

"Cross Foot" tile foot, for levelling gradients up to 30 mm, black, made in Germany 					
---	--	--	--	--	--

	150 x 150 x 35-65	1	30	4000868998415	9600013100000
	Load-bearing capacity per tile foot approx. 400 kg. Permanently weatherproof thanks to high-quality plastic. Suitable for wooden tiles 49 mm thick and above, and for stone and concrete tiles. Please observe the specifications of the manufacturer.				



TIMBER

OUTDOOR WOOD

ENERGY WOOD

# ACCESSORIES FOR ARTWOOD® TERRACE DECKING

- ✓ special accessories for the professional construction of Artwood® terrace decking
- ✓ easy to install thanks to clip system
- ✓ uniform plank spacing


## PRODUCT DESCRIPTION:

- structural accessories for Artwood® terrace decking
- fixing systems for Artwood® planks
- end strips

Examples of applications: WPC/GCC terrace floors and wooden decking, garden and path design, ...


	Dimension (mm)	Quantity per Packaging unit (items)	Packaging unit (pack/box)	EAN	Supplier item number
--	----------------	-------------------------------------	---------------------------	-----	----------------------

### Terrace clip 7 mm, including screws, plastic, black, made in Germany

	25 x 40	30	50	4000868999689	9600015000000
Single planks can be replaced. Approx. 20 clips/m².					


ARTWOOD®  
PLANKS  
FROM 21 MM  
THICKNESS

### Terrace end clip 7 mm, including screws, plastic, black, made in Germany

	15 x 40	10	20	4000868999672	9600015100000
Single planks can be replaced. Quantity required: 3 pieces per running metre for edge planks.					


ARTWOOD®  
PLANKS  
FROM 21 MM  
THICKNESS

### Universal clip 7 mm, including screws, stainless steel, black, made in Germany


	24 x 35	20	50	4000868998439	9600015800000
Single planks can be replaced. Approx. 14 clips/m².					

FOR ALL  
ARTWOOD®  
PLANKS

### Universal end clip 7 mm, including screws, stainless steel, black, made in Germany


	20 x 35	10	20	4000868998422	9600015900000
Single planks can be replaced. Quantity required: 3 pieces per running metre for edge planks.					

FOR ALL  
ARTWOOD®  
PLANKS


	Dimension (mm)	Quantity per Packaging unit (items)	Packaging unit (pack/box)	EAN	Supplier item number
Support pads for substructure, black					
	3 x 60 x 90	60	24	4000868998989	9600011800000
	8 x 60 x 90	48	20	4000868998972	9600011900000
	20 x 60 x 100	20	12	4000868999733	9600010300000

Place under substructure with spacing of 60 cm.  
Permanently weatherproof thanks to high-quality plastic.


### "Small Foot" terrace foot, for levelling gradients up to 30 mm, black, made in Germany

	150 x 150 x 35-65	1	30	4000868999566	9600010900000
Install under substructure with spacing of 50-60 cm. Load-bearing capacity per terrace foot approx. 400 kg. Permanently weatherproof thanks to high-quality plastic.					

### "Big Foot" terrace foot, for levelling gradients up to 80 mm, black, made in Germany

	190 x 190 x 60-140	1	24	4000868998521	9600012900000
Install under substructure with spacing of 60 cm. Load-bearing capacity per terrace foot approx. 400 kg. Permanently weatherproof thanks to high-quality plastic.					

### Spacer for Artwood® end strips, anthracite, made in Germany

	30 x 40 x 10	10	20	4000868999412	9600015600000
---	--------------	----	----	---------------	---------------

LEARN  
MORE ...



## ARTWOOD® -INNOVATIVE TERRACE DECKING SYSTEM



Permanent outdoor use

- ✓ all advantages at a glance
- ✓ information on durability, colour development, application options, ...
- ✓ tips & tricks for cleaning and care

TIMBER

OUTDOOR WOOD

ENERGY WOOD

	Dimension (mm)	Length (mm)	Quantity per Packaging unit (items)	Packaging unit (pack/ box)	EAN	Supplier item number
Artwood® WPC end strip smooth, brushed, light oak, made in Germany 						
	17 x 60	3000	1	24	4000868801920	3940000803000

GCC  
HOLZart

Artwood® WPC end strip smooth, brushed, chestnut, made in Germany 						
	17 x 60	3000	1	24	4000868802620	3940000903000

GCC  
HOLZart

Artwood® end strip smooth, brushed, grey, made in Germany 						
	17 x 60	3000	1	24	4000868803870	3940001003000

GCC  
HOLZart

EUROPE'S MOST MODERN  
SAWMILL!

91634 Wilburgstetten, Germany

RET TENMEIER®  
SAWMILL GUIDES

- ✓ a look behind the scenes
- ✓ learn what drives us and our products
- ✓ state-of-the-art production facilities
- ✓ precise and environmentally friendly process techniques

TIMBER  
OUTDOOR WOOD  
ENERGY WOOD

# ENERGY WOOD



rettenmeier®  
ENERGY WOOD

100% ADDED VALUE  
+ 100% APPRECIATION

## ENERGY WOOD

Our two rettenmeier® ENERGY WOOD biofuels impress with a nearly **neutral ecological balance** – excluding transport costs – and are also manufactured exclusively from our by-products.

LEARN  
MORE ...



# WOOD PELLETS

- ✓ high-quality fuel
- ✓ pressed from coniferous wood
- ✓ handy packaging
- ✓ high strength
- ✓ optimum combustion of energy
- ✓ renewable sources
- ✓ CO2-neutral
- ✓ long combustion time

**PRODUCT DESCRIPTION:**

- diameter 6 mm
- fines content ≤ 0.5%
- water content ≤ 10%
- calorific value ≥ 4.6 kWh/kg
- ash content ≤ 0.7%



# WOODEN BRIQUETTES

- ✓ high-quality fuel
- ✓ without additives/ predominantly untreated coniferous wood
- ✓ tightly compressed
- ✓ renewable sources of energy
- ✓ CO2-neutral
- ✓ long combustion time

**PRODUCT DESCRIPTION:**






- calorific value approx. 19 MJ/kg (5.3 kWh/kg)
- residual moisture content < 12%
- ash content approx. 0.5%
- shape ensures good burn-off



TIMBER

OUTDOOR WOOD

ENERGY WOOD

	Packaging unit (kg)	Pack/Euro pallet	EAN	Supplier item number	
ENERGY WOODwood pellets, 15 kg/bag, Premium HD+, Made in Germany  and Slovakia 					
	15	70	4000868900142	3480005400000	
	15	70	4000868900111	3480004900000	

	Packaging unit (kg)	Pack/Euro pallet	EAN	Supplier item number	
ENERGY WOOD wood briquettes, made in Germany  and Slovakia 					
	10	96	4000868900005	3480000000000	

# OUR LOCATIONS

## RAMSTEIN-MIESENBACH GERMANY



👤 ≈ 225 EMPLOYEES  
400,000 m<sup>2</sup> AREA  
650,000 m<sup>3</sup> CAPACITY  
+ 120,000 tonnes OF PELLETS  
WOOD SPECIES: SPRUCE, PINE,  
DOUGLAS FIR, LARCH

## BURGBERNHEIM GERMANY




👤 ≈ 55 EMPLOYEES  
79,000 m<sup>2</sup> AREA  
55,000 m<sup>3</sup> CAPACITY  
WOOD SPECIES: SPRUCE, PINE

## HIRSCHBERG GERMANY



👤 ≈ 290 EMPLOYEES  
420,000 m<sup>2</sup> AREA  
750,000 m<sup>3</sup> CAPACITY  
WOOD SPECIES: SPRUCE

## INČUKALNS LATVIA




👤 ≈ 260 EMPLOYEES  
327,000 m<sup>2</sup> AREA  
800,000 m<sup>3</sup> CAPACITY from 2024  
WOOD SPECIES: SPRUCE, PINE

## WILBURGSTETTEN GERMANY



👤 ≈ 490 EMPLOYEES  
620,000 m<sup>2</sup> AREA  
800,000 m<sup>3</sup> CAPACITY  
WOOD SPECIES: SPRUCE, PINE

## LIPTOVSKÝ HRÁDOK SLOVAKIA



👤 ≈ 280 EMPLOYEES  
190,000 m<sup>2</sup> AREA  
400,000 m<sup>3</sup> CAPACITY  
+ 65,000 tonnes OF PELLETS  
WOOD SPECIES: SPRUCE

## SUSTAINABLE FOREST MANAGEMENT

The continued existence of domestic forests is very important to us. The forest is not only our main source of raw materials, but of course also a shelter and recreation area for plants and living beings. This makes **sustainable forest management and the preservation of the health and vitality** of the forest ecosystem all the more important.


LEARN  
MORE ...



## SUSTAINABLE SUPPLIER RELATIONSHIPS

rettenmeier® **FOREST SERVICES** is your full-service provider in forestry – that is, we take care of **the harvesting, marketing, removal and settlement** of your wood, regardless of whether it is for the state or municipal forest, forest associations or microforest owners.

LEARN  
MORE ...



## ZERO WASTE PRINCIPLE

→ 100% ADDED VALUE  
+ 100% APPRECIATION

In accordance with our **rettenmeier®**  
**Zero waste principle**, we also use all  
the by-products from our saws and the  
bark. In other words, our raw material  
wood is 100% recycled.



LEARN  
MORE ...





## ACTIVE CLIMATE PROTECTION THREEFOLD

1. Our raw material wood removes harmful CO<sub>2</sub> from the atmosphere.
2. We then process it sustainably into CO<sub>2</sub> storage and thereby extend the storage of the contained carbon – a low-energy house in wood construction, for example, relieves the atmosphere of around 80 tonnes of carbon dioxide.
3. Our rettenmeier® PREMIUM OF WOOD replaces other energy-intensive materials such as steel or concrete, which produce enormous quantities of CO<sub>2</sub> during production.

LEARN  
MORE ...




# RET TENMEIER® SERVICE YOUR RELIABLE LOGISTICS PARTNER

With our **modern in-house fleet** and  
**a nationwide national and international  
transport network**, we transport our  
products quickly, flexibly and reliably.



LEARN  
MORE ...





## SUSTAINABLE TRANSPORT

With its own rail connections at individual locations, the railway is our **climate-friendly means of transport**, with which we can remove as much freight as possible from the road.

# WOOD AS A RAW MATERIAL

Wood is one of the oldest construction and working materials, and accompanies each of us through our entire lives, from the cradle to the grave. A long tradition in craftsmanship and in industry have provided experience of how to use the right wood in a suitable way for the various applications. The healthy material



ROUND TIMBER  
PURCHASE

is a commodity and consumer good and can be machined, screwed, glued, drilled, sawed, grooved, turned and carved using simple tools. Wood is the everyday embodiment of Nature in its purest form, an environmentally friendly product with an

extremely positive ecological profile. Wood is also a material with a wide range of properties: The various types of wood, the location, the age of the tree, heartwood or sapwood, trunk wood or knotted wood all lead to an extremely wide range of biological, chemical, technological and visual characteristics. This is problematic for rationalised, industrialised processing. But, on the other hand, the variety of properties and appearance brings its own advantages: it is possible to satisfy the desires and requirements of the consumers for the product in a selective way. Strength and load-bearing capacity in construction timber, durability in windows and external doors, colour and wood texture for furniture and in interior fittings, hardness

for parquet flooring or rational production technology and excellent product properties in pulp and paper – the right wood is available for every application concept. For the ideal construction and design of products made of wood, the material properties are crucial, such as the density, strength, the elasticity modulus, resilience, natural durability, permeability, extractive levels, anatomical structure, cell dimensions, the knottiness and the grain orientation. An analysis of the requirements for the product and, derived from that, for the wood material makes it possible to select the ideal type of wood.

## FSC®

FSC® stands for "Forest Stewardship Council®" and is an international certification system for the forestry industry. Ten globally applicable principles guarantee that wood and paper products with the FSC® seal originate from responsibly managed forests. These principles are defined in an international standard. The FSC® standard stipulates that the ecological functions of the forest must be preserved, protects endangered animal and plant species against dying out and safeguards the rights of the original inhabitants and employees. However, the belief that an FSC®-certified forest is completely untouched nature is wide of the mark. It is forest that is managed, but according

to strict principles and criteria that can preserve the forest as an eco-system in the long term.

The FSC® was set up in 1993 as a result of the environmental summit in Rio. It is a non-governmental, charitable organisation that is dedicated to promoting the use of the forests on our planet in a simultaneously environmentally friendly, socially acceptable



Das Zeichen für verantwortungsvolle  
Waldwirtschaft

and economically sustainable manner. The FSC® brings together all the actors who have an interest in preserving the forests in the long term: company owners in the wood and forest industry, environmental associations, unions, representatives of civil society and indigenous peoples. All of the interest groups involved are recognized on an equal basis. This concept is reflected in the chamber structure of the organisation: none of the three chambers can be overruled. And: the FSC® is transparent. As a rule, certified businesses are inspected annually on site by independent experts and the results are then published.

## PEFC

PEFC (Programme for the Endorsement of Forest Certification Schemes) is a strictly controlled forest certification programme designed to monitor sustainably managed forests. The PEFC is, so to speak, a global forest protection organisation. With a PEFC-certified product, you can be sure that it comes from sustainably managed and controlled forests.

Among other things, this means:

- The international resolutions of the follow-up conference after the Rio Environmental Summit in 1992 form the basis for the certification system of sustainable forest management.

- Less wood is felled than is being cultivated.
- The forest is always renewed accordingly.
- A safe habitat for plants and animals is preserved.
- Guarantee of a legal origin of log wood
- High standards in occupational health and safety for forestry work
- Safeguarding of employee rights
- In this way, the rights of people who are dependent on the forest or live off it are safeguarded
- The primary objective of the PEFC is to promote the economy, ecology and social compatibility, as well as the documentation and improvement of sustainable forest

management. The focus is also on independence and economic efficiency

The PEFC certification system is recognised worldwide. In addition, the system only deploys independent certifiers, whose reliability is checked regularly.



Promoting  
Sustainable Forest  
Management

www.pefc.de

# CE MARK

By applying the CE mark, a manufacturer confirms that the product on sale complies with the applicable, product-specific European directives. The CE mark is not a quality seal, but merely indicates compliance with the minimum statutory requirements. If a four-digit number is applied after the CE symbol, it refers to the involvement of a Notified Body in the conformity assessment procedure. The CE mark was

developed to provide the end consumer with an indication of safe products (on the basis of compliance with the "fundamental (safety) requirements") within the European Economic Area. If one or several EU directives are fulfilled with a product, the product must bear the CE mark. Other markings or quality seals are not permissible next to the CE mark. The CE mark is a prerequisite for placing any products on the

market for the first time for which a CE mark is required in accordance with EU directives, i.e. in all member states of the European Economic Area.



DECLARATIONS OF  
PERFORMANCE

## CRADLE-TO-CRADLE CERTIFIED®

*Cradle-to-Cradle Certified®* is a registered trademark of the Cradle to Cradle Products Innovation Institute and a global standard for safe, circular and responsibly sourced materials and products. Certification evaluates the following categories:

- Material health: The products are manufactured without harmful chemicals. All ingredients are captured throughout the supply chain and investigated for their impact on human health and the environment.
- Recyclability: The products are recyclable. The components are designed to be biodegradable or to be used as a technical nutrient for new products.

- Renewable energy: The products are manufactured in a climate-friendly way. Production is supplied with renewable energies and unavoidable CO2 emissions are offset.
- Water management: Water is recognised as a valuable resource. All wastewater from the production process has drinking water quality and water catchment areas are protected.
- Corporate Social Responsibility: Human rights and the integrity of natural systems are respected. Business processes are responsibly and ethically designed to positively impact people and the environment.

The product is assigned a certification level for each category (bronze, silver, gold, platinum). The lowest certification level among the five categories determines the overall certification level of the product.



## FLAWS

Our solid wood products are subject to strict quality criteria (in accordance with the "Tegernsee customs"). Depending on the species of wood, individual timber profiles may display a natural range of colours. This varying range of



QUALITY DATA SHEETS

colours gives the product a vibrant appearance and emphasises the natural, individual nature of wood. This is not a sorting criterion. Natural weathering influences, such as sun, moisture and UV radiation, have different effects on the wood, depending on its species. Cracks may form, but these do not have any influence on durability.

Splitting is a natural characteristic of wood and not grounds for complaint.

The quantity and size of knots will vary depending on the species of wood, origin and growth-related influences. These are not faults, and their quantity and size is not limited. Individually knocked-out edge knots and cracks in the area of the knot cannot always be avoided and have no influence on the durability of the timber. The same applies to colour-treated timbers. Wood is a natural, "working" material.

Therefore, under the influence of ambient moisture, dimensional changes to the timber profiles may occur in the thickness and width (up to 10%). This behaviour is known as "swelling" and "shrinking" and should be taken into consideration in planning.

The profile and plank dimensions stated are calculated dimensions, which can vary from the actual dimensions by up to 5 cm in the length and up to 1 cm in the width.

In naturally grown materials, moderate, and in isolated cases, severe warping may occur. Ensuring the correct distance from the substructure may counteract warping. Terrace decking that is already warped may be "healthily trimmed". You can reduce warping by cutting the decking on site. Not every plank can be free from warping in its entire length.

## OUTDOOR WOOD

The possibilities for creative garden architecture and functional, attractive wooden structures are virtually endless. Wood can offer a long service life if a few basic rules are borne in mind. This includes the use of long-lasting species of wood such as Douglas fir and larch. Their heartwood contains constituents that are toxic to pest organisms and so act as a natural preservative.

Sun, wind and rain all affect timber, with various consequences:

- Decomposition of lignin
- Washing-out of chemical compounds
- Acquisition of grey patina
- Bleeding of resin
- Swelling and shrinkage
- Twisting or splitting
- Cracking of coatings
- Iron oxide reaction

These natural timber reactions are acceptable and are not grounds for complaint.



CARE AND  
MAINTENANCE

SERVICE LIFE

The information provided is merely a guide to life expectancy under temperate climatic conditions for the individual classes in relation to each other. It is not possible to provide exact values for any specific service life as this greatly depends on local conditions and the measures taken to protect the wood. This therefore does not constitute any guarantee or warranty on our part.

Durability classes for wood and wood products in accordance with DIN 350-2

	DURABILITY	WOOD/WOOD MODIFICATION
CLASS 1	<div><div></div></div> > 25 years	
CLASS 2	<div><div></div></div> 15-25 years	<ul style="list-style-type: none"><li>• Pine Thermowood</li><li>• coniferous wood PI</li></ul>
CLASS 3	<div><div></div></div> 10-15 years	<ul style="list-style-type: none"><li>• Douglas fir</li><li>• Larch</li><li>• Siberian larch</li><li>• Quality pressure-treated coniferous wood*</li></ul>
CLASS 4	<div><div></div></div> 5-10 years	<ul style="list-style-type: none"><li>• Spruce</li></ul>
CLASS 5	<div><div></div></div> < 5 years	<ul style="list-style-type: none"><li>• Pine</li></ul>

\*Not listed in the standard; practice-based classification by professional institutes.

CONDITIONS FOR USE

The service life of wooden components used outdoors can be significantly increased if the issue of wood preservation is considered at the design stage. Otherwise, a component's useful life may be greatly affected by local conditions (high level of ambient moisture, permanent or occasional contact with water, lack of rear ventilation, etc.). On the other hand, favourable installation conditions can also considerably increase service life by, for example, preventing contact with soil or providing cover. Terrace coverings made from wood – especially coniferous wood – are generally not suitable as barefoot boards. The surface quality in later use largely depends on the factors specific to the particular wood and species of wood.

Use classes for wood and wood-based products according to DIN EN 335-1

	CONDITIONS FOR USE	DURABILITY CLASS REQUIRED
CLASS 1	no direct contact with the ground, timber component covered, fully protected from the weather	no moisture (furniture, internal components)  Class 1-5
CLASS 2	no direct contact with the ground, timber component covered, protected from the weather	Exposed to high level of ambient moisture; occasional, non-permanent moisture (internal components in wet area, external components without direct exposure to weather)  Class 1-3
CLASS 3	Timber component exposed to weather, no contact with the ground	Frequent moisture (external components exposed to weather, no contact with the ground, internal components in wet area)  Class 1-2, 3 possibly pressure-treated
CLASS 4	constant contact with freshwater or ground	constant moisture (timber components partially or fully in the ground or water)  Class 1, 2, 3 pressure-treated
CLASS 5	constant contact with seawater	constant moisture  Class 1, 2

WOOD PROTECTION INCREASES THE SERVICE LIFE

Alongside the individual species of wood selected and its natural durability, the service life of timber can influenced significantly by structural timber protection measures. If wood is exposed to high levels of moisture for lengthy periods, it will be damaged by fungal decay. This can be prevented by the proper planning of structural measures to protect the wood at the execution stage.

Where possible, upright, load-bearing timber components should never come into direct contact with the ground in external areas. To protect them from splashing, it is advisable to maintain a minimum gap of approx. 15 cm (mounting on supports).

Horizontal wooden structures should likewise avoid any direct contact with the ground and be kept a sufficient distance from the subsoil. To prevent water from collecting, horizontal areas should always have a slight gradient.

Another effective method for extending the service life of wood is pressure treatment. Dip impregnation uses either green or yellow colouring. The process involves dipping all of the wood into a bath of wood preservative for anything from a few minutes to several hours. This process is most commonly used during the treatment of wooden components such as shuttering, custom-cut construction timber, windows and doors. The coloured additives are also useful for control purposes, but are not meant to be weatherproof. The weather resistance of the pressure treatment itself is based on the fastening of the salt solution on the wood. Freshly pressure-treated woods therefore need to be protected against rain for several days. The wood-protection agent itself is generally a water-soluble, colourless or coloured salt concentrate. It contains biocidal active agents. Dip pressure treatment is possible only with a wood moisture content of less than 50%. It acts preventively for wood that is covered or out in the open air without contact to the ground and is effective against fungi and insects that destroy the wood. If the wood is stored properly, it is also effective in preventing blue stain and mould. After drying, the pressure-treated goods can be coated with any paint.

EXTENDS DURABILITY AND SERVICE LIFE

- Construct timber components so that water can always run off (use support pads)
- Always construct terrace decking with a gradient of at least 2% in the lengthwise direction of the profiling
- Minimise the contact area between the substructure and planking or use spacers
- Prevent waterlogging
- Ensure adequate ventilation
- Avoid contact with the ground
- Joints between planks and ends should be spaced 5-8 mm apart
- Narrow planks are less susceptible to cracking and cupping
- Use stainless steel screws that will not rust
- Do not carry out metalworking (cutting, grinding, etc.) on wooden terraces (iron oxide reaction)
- Clean and maintain timber components at regular intervals

FASTENING, TURNING GREY, SURFACE TREATMENT, YELLOWING

For fixing timber components, stainless steel screws that will not rust are most suitable. When working with galvanised screws, the layer of zinc may become damaged, which can lead to corrosion and cause the wood to discolour. In addition, species of wood such as Douglas fir which are rich in tannin react to contact with iron, with the timber becoming darker.

Wood used outdoors is permanently exposed to the weather. UV radiation and rain affect the surface. This brings about changes in the chemical composition of the timber, causing constituents to wash out. The timber turns grey in the open air in the course of a natural process.

Surface treatment with suitable coatings can offer a relative degree of protection from moisture and UV rays. When used in the open air, wood has to be painted regularly – at least twice a year – to maintain the appearance and effectiveness of the coating.

Wood that is used in the interior and so is not exposed to weathering turns yellow after some time through a natural process.





	SPRUCE/FIR		PINE		BEECH	OAK
TYPE	Coniferous wood		Coniferous wood		Hardwood	Hardwood
PRE-FINISHING TREATMENT	techn. dried; untreated surface	techn. dried; PI/not PI	techn. dried, surface untreated, partly thermal Pre-finishing treatment	techn. dried, PI/ not PI	techn. dried, untreated surface	techn. dried, untreated surface
COLOURING	very pale sandy to whitish and naturally colourless	grey, green, yellow, teak, anthracite, mahogany, sand, Mediterranean	light sandy, reddish, to naturally colourless	grey, green, yellow, teak, anthracite, mahogany, sand, Mediterranean	warm, natural, matte wood tone, with occasional reddish sheen	pleasant, sand to beige coloured wood tone
COUNTRY OF ORIGIN	domestic and EU foreign		domestic and EU foreign		EU and non-EU foreign countries	EU and non-EU foreign countries
HARDNESS	<div><div></div></div>		<div><div></div></div>		<div><div></div></div>	<div><div></div></div>
WARPING	<div><div></div></div>		<div><div></div></div>		<div><div></div></div>	<div><div></div></div>
INTERLOCKING GRAIN	<div><div></div></div>		<div><div></div></div>		<div><div></div></div>	<div><div></div></div>
SWELL/SHRINK BEHAVIOUR	<div><div></div></div>		<div><div></div></div>		<div><div></div></div>	<div><div></div></div>
CRACKING TENDENCY	<div><div></div></div>		<div><div></div></div>		<div><div></div></div>	<div><div></div></div>
OCCURRENCE OF KNOTS	<div><div></div></div>		<div><div></div></div>		<div><div></div></div>	<div><div></div></div>
RESIN BLEEDING	<div><div></div></div>		<div><div></div></div>		<div><div></div></div>	<div><div></div></div>
REACTION WITH IRON OXIDE	<div><div></div></div>		<div><div></div></div>		<div><div></div></div>	<div><div></div></div>
SPECIAL FEATURES	SPRUCE/FIR darkens under the influence of light to a yellowish brown colour. When used in external areas, it is necessary to ensure effective protection through architectural or structural measures and through specialist treatment with suitable wood protection agents. Pre-finished wood products are finished with non-pressure treatment by means of a resource-saving immersion process, making them more resistant to the ingress of wood-destroying fungi or insects, as well as making them more durable.		PINE darkens under the influence of light to a yellowish brown colour. When used in external areas, it is necessary to ensure effective protection through architectural or structural measures and through specialist treatment with suitable wood protection agents. Pre-finished wood products are finished with non-pressure treatment by means of a resource-saving immersion process, making them more resistant to the ingress of wood-destroying fungi or insects, as well as making them more durable. Thermo pine is the preserved wood without chemical additives for outdoor use. High temperatures (approx. 210°C) and steam are used to modify the physical properties of the wood in a process taking several days. This changes the chemical structure, reducing the density, strength and modulus of elasticity of the timber and removing resin and other constituents.		BEECH has very good strength properties, high degree of hardness and is tough and not very elastic; high resistance to abrasion; despite high bulk density, it is easy and clean to process with manual and mechanical tools; main areas of application include furniture production, due to the high degree of hardness, in stairwell construction, toy construction or use as plywood; easy to polish, stain or colour with other colours. Beech may be used only conditionally in external areas because of its moderate resilience and low natural durability.	OAK has excellent properties for doors, window and stair construction. Due to its excellent high strength properties, high elasticity and high bulk density, it can be easily and cleanly processed with all hand and machine tools. The oak timber can be preserved and matted very well and is designed as construction timber for the highest requirements in terms of beauty, strength, hardness and durability.



ACACIA/ROBINIA	DOUGLAS FIR	LARCH	ARTWOOD® WPC/GCC
Hardwood	Coniferous wood	Coniferous wood	Composite material
technically dried techn. dried, surface oiled/untreated	technically dried Surface untreated	technically dried Surface untreated	surfaces brushed and partially polished
alternating growth structure, finished with a dark brown oil/untreated yellowish white	warm, whitish pink to reddish honey coloured stain	warm, whitish pink to reddish honey coloured stain	brownish to terracotta-coloured and grey to anthracite-coloured finish
South East Europe, Asia	mainly domestic, France and Benelux	mainly domestic, France and Benelux	Domestic
			
			
			
			
			
			
			
			
<b>ACACIA/ROBINIA</b> have a high bulk density as well as very good durability and thus excellent strength. Despite its high elasticity, easy and clean workability are benefits of this type of wood. The surface is oiled and has a decorative and elegant appearance.	<b>WHEN EXPOSED TO LIGHT AND THE EFFECTS OF THE WEATHER, DOUGLAS FIR</b> will become darker until it acquires a silver-grey patina. Such discolouration can be prevented by the use of a wood oil or glaze. The variations in the colour of terrace timber can be evened out with stained wood oils. Easy to process.	<b>WHEN EXPOSED TO LIGHT AND THE EFFECTS OF THE WEATHER, LARCH</b> will become darker until it acquires a silver-grey patina. Such discolouration can be prevented by the use of a wood oil or glaze. The variations in the colour of terrace timber can be evened out with stained wood oils. Easy to process.	<b>ARTWOOD®</b> products are free of knots and splinters, have a dye-saturated surface, are 100% recyclable, non-hazardous – material is suitable for the production of children's toys. Easy to install with clip system, with non-visible screw connections; clean with water or pressure cleaner (washer jets) Composite material consisting of approx. 75% coniferous wood or 45-65% natural fibres and 10-30% used material resources and approx. 25% fresh polymers and additives. Colour development: Artwood® is a natural product that is subject to changes in colour due to weathering.

# GENERAL TERMS OF BUSINESS

**TERMS AND CONDITIONS OF SALE AND DELIVERY** of ("Seller")

- Rettenmeier Holzindustrie Wilburgstetten GmbH, Industriestr. 1 | 91634 Wilburgstetten, Germany
- Rettenmeier Holzindustrie Wilburgstetten GmbH | Werk Burgbernheim, Rothenburger Straße 48, 91593 Burgbernheim, Germany
- Rettenmeier Holzindustrie Hirschberg GmbH, Ullersreuth 61, 07927 Hirschberg, Germany
- Rettenmeier Holzindustrie Ramstein GmbH, Industriestr. 1, 66877 Ramstein, Germany
- Rettenmeier Baltic Timber SIA, Plānupes iela 26, LV-2141 Inčukalns, Latvia
- Rettenmeier Tatra Timber s.r.o, Pod lipami 68, SK-03301 Liptovský Hrádok, Slovak Republic
- Rettenmeier Holding AG, Industriestr. 1 | 91634 Wilburgstetten, Germany

**1. GENERAL INFORMATION**

These Terms and Conditions of Sale and Delivery apply exclusively to companies (Section 14 of the German Civil Code (BGB)), legal entities and legal special funds. They constitute an integral part of all offers and contracts for deliveries and services of the Seller, including in ongoing and future business transactions. Insofar as they do not contradict these Terms and Conditions of Sale and Delivery, the customary practices of the wood industry shall also apply, in particular the "Tegernsee customs" as amended with the related appendices and annex. Any deviating agreements and conditions, in particular purchasing conditions, shall only be binding if they are confirmed by the Seller. If two letters of confirmation containing deviating provisions cross one another when sent, the letter of the Seller shall apply. The Seller shall collect, process and store personal data only to the extent necessary to fulfil the contract.

**2.** Offers are without obligation. The Seller may accept offers of contract within four weeks. The right to make a prior sale is always reserved. Deliveries shall be subject to correct and complete delivery of materials to us from our suppliers. All verbal agreements require immediate written confirmation from the Seller. This also applies to contracts concluded by employees or trade representatives of the Seller. Offers made by telegram, telephone or verbally shall only apply insofar as they correspond to the offer confirmed in writing. The aforementioned provisions do not apply to agreements made after the contract has been concluded.

**3.** In the absence of any deviating agreements made on an individual basis, prices are ex warehouse or ex place of dispatch of the Seller and exclude packaging, protective boards and boards for placing in between (supporting timbers), shipping, unloading and any installation work that may have been agreed. These items will be charged separately. The price list of the Seller that is valid on the day concerned shall apply. All prices exclude the applicable statutory value added tax. If deliveries are made outside Germany, the Seller shall not be liable for taxes or charges incurred there.

**4.** Delivery times must be agreed separately. Mobilisation, war, operational disruptions, strikes, lockouts and other instances of force majeure shall entitle the Seller to postpone delivery until the situation concerned has been resolved or, if the delivery finally becomes impossible, to refrain from making the delivery. If deliveries are made outside Germany, the Seller shall not be liable for unforeseeable official import or export restrictions. If a non-binding delivery date or a non-binding delivery deadline has been exceeded by more than four weeks, the purchaser shall be entitled to send a written request to the Seller to deliver the goods by a reasonable deadline. Upon issuance of this reminder, the Seller shall be deemed to be in default. The legal consequences are governed by law and these General Terms of Business, in particular Point 7.

**5.** The place of performance for the delivery shall be the registered address of the Seller or, at its discretion, the place of dispatch; the place of performance for payment shall be the registered address of the Seller. Deliveries made carriage-paid to the destination or carriage-paid to the place of use require roads suitable for heavy freight vehicles. The delivery must always be unloaded by the purchaser immediately and at its expense. Shipping shall be at the risk of the purchaser, even if carriage-paid delivery has been agreed. The transport shall be insured only at the express instruction of and at the expense of the purchaser. If delivery is made carriage-paid to the destination, at the request of the Seller the shipping costs must be submitted by the purchaser or recipient without any discount.

**6.** If the purchaser enters into default of acceptance, the Seller shall be entitled to withdraw from the contract after an appropriate deadline, or to effect a substitute sale or to insist on performance.

**7.** Warranty shall be adopted for the services of the Seller in accordance with the following provisions. The Seller shall be liable without restriction in accordance with the statutory provisions insofar as a contractual obligation has been breached, either intentionally or as a result of gross negligence, by the Seller or its vicarious agents, or loss of life, physical injury or impairment to health has occurred or the Seller has assumed a guarantee. Liability for slight negligence shall be excluded unless an essential contractual obligation (material contractual obligation) has been breached. In this case, the liability shall be restricted to the amount of loss typically foreseeable for the contract. These liability restrictions shall also apply if claims to right of recourse in accordance with Section 478 of the German Civil Code (BGB) are asserted against the Seller as a supplier. The liability restrictions shall not apply to claims in accordance with Sections 1 and 4 of the German Product Liability Act (Produkthaftungsgesetz). The unavoidable and natural shrinkage of the board as a result of drying does not constitute a defect.

**8.** Complaints concerning any identified defects must be submitted in writing immediately after the defects have been identified. To this end, the goods must be inspected immediately following delivery. If a defect is only identified at a later stage, the complaint must be submitted immediately after the defect has been identified. If no written complaint is submitted to the Seller, the goods are considered approved unless the defect was not identifiable. If transport damage is identified when the goods arrive, before the goods are unloaded a written confirmation must be obtained from the freight forwarder as evidence for a claim for compensation to be submitted to the freight forwarder. The same shall also apply to transport by ship and rail.

**9.** Payments are due within 30 days of provision at the storage location in full without deductions. The purchase price shall become due and the consequences of default shall become effective without a reminder on the day determined on the basis of the invoice date and the payment period. In the event of default in payment, default interest in the amount of 8% above the base rate of the Deutsche Bundesbank shall be incurred, unless the Seller proves that it has incurred a higher loss. The purchaser shall be entitled to prove that no or a lower level of loss has been incurred. Bills of exchange and cheques shall be accepted only as conditional payment. It is not permitted to withhold payments as a result of any counter-claims whatsoever, including from other business transactions of the purchaser, or to set off claims from the same contractual relationship, unless the claim is legally established or is not contested by the Seller.

If, following the conclusion of the contract, the Seller becomes aware of circumstances for which the purchaser is responsible and that call into question its creditworthiness (in

particular default), the Seller shall be entitled to retain any advance payments provided that interest is paid on these at the rate at which the Seller obtains refinancing. The Seller shall also be entitled to make payable the entire remaining debt from the order. If the setting of a deadline has been unsuccessful and the invoiced goods are ready for dispatch, the sold goods shall be stored for the account of the purchaser. Storage costs, warehouse rent and fire insurance costs may be charged to the purchaser. The Seller shall be under no obligation to provide insurance. The purchaser shall be entitled to prove to the Seller that no or a lower level of loss has been incurred. If payment has not been received for the invoiced goods that are ready for dispatch despite the Seller having issued a reminder with a deadline, the Seller shall be entitled to withdraw from the contract. Insofar as goods of the Seller from the contractual relationship still exist, they can be immediately reclaimed or collected by the Seller or its representative at the expense of the purchaser.

**10.**

a) The goods shall be delivered in accordance with Section 449 of the German Civil Code (BGB) with the following additions.

b) All goods delivered to the purchaser shall remain the property of the Seller until full payment of all claims of the Seller against the purchaser (including claims arising in the future), including from other business transactions, i.e. also of a possible current account balance, insofar as this is recognised by the purchaser.

c) The purchaser shall be entitled to resell or to use the reserved goods in the ordinary course of business. A prerequisite for this is that the claims (invoice amount including value added tax) of the purchaser from the resale of the reserved goods are assigned to the Seller, regardless of whether the reserved goods are resold without being processed or after being processed and whether they are combined or incorporated and whether they are resold to one or several buyers. The assigned claim shall serve as security for the conditional seller only in the amount of the value of the reserved goods sold in each case. The assignment shall be excluded only if goods are resold as part of actual current account transactions.

d) In the event that the reserved goods are sold by the purchaser together with other goods not belonging to the Seller, either without being or after having been altered, the assignment of the purchase price claim shall only be valid in the amount of the value of the reserved goods constituting the object of this purchase contract. At the request of the Seller, the purchaser shall be obliged to store reserved goods separately and to only process and resell reserved goods separately from other goods.

e) The purchaser shall be entitled to collect the claims from the resale despite the assignment. The authority of the Seller to collect claims remains unaffected by the entitlement of the purchaser to collect claims. However, the Seller shall not collect the claim itself as long as the purchaser complies with its payment obligations in an orderly manner. If the purchaser defaults on payment or if insolvency proceedings are commenced with respect to the purchaser or are not commenced due to lack of sufficient assets, the purchaser shall be obliged to inform the Seller about the debtors of the assigned claims as well as to notify the debtors of the assignment and to instruct them to effect payment exclusively to the Seller.

f) The purchaser shall also assign the rights and claims to which it may be entitled with respect to its clients in accordance with Sections 647 and 648 of the German Civil Code (BGB) to the Seller, and shall entitle the Seller to assert these claims and rights in its own name and for its own account in the amount of the claim that has arisen in accordance with the preceding provisions.

g) The purchaser shall not be entitled to assign or pledge its claims from the resale of reserved goods in their original or altered state to a third party.

h) The processing or alteration of the delivered goods shall always be carried out for the Seller. The expectant right of the purchaser to the delivered product shall extend to the altered or processed product. The processed goods shall serve as security for the conditional seller only in the amount of the value of the reserved goods. If the purchaser processes the goods with other objects not belonging to the Seller, the Seller shall be entitled to co-ownership of the new product in the ratio of the value of the reserved goods to the other processed objects at the time of processing. For the new product created as a result of the processing, the same as for the reserved goods applies otherwise. It is considered a reserved good pursuant to these terms and conditions. The same shall apply mutatis mutandis if the reserved goods are combined or incorporated with other objects.

i) Goods subject to reservation of title in their original or altered state may only be sold in the ordinary course of business. They must not be pledged nor assigned by way of security without the consent of the Seller.

j) If the purchaser has assigned, or in future will assign, its goods warehouse either in whole or in part to another party by way of security, then the purchaser's intention to transfer ownership to the other party shall not relate to the goods subject to reservation of title in their original or altered state.

k) The purchaser shall be obliged to insure goods subject to reservation of title including in their altered state against fire and theft as extraneous products and to prove this to the Seller upon request. The reserved goods must be handled with care. The purchaser hereby already irrevocably assigns all claims to which it is entitled from this insurance to the Seller for the duration of the reservation of title in the amount resulting from these provisions on reservation of title.

l) Access by third parties to the goods subject to reservation of title in their original or altered state or to the assigned claims must be notified to the Seller immediately in writing including details of the third party's address to which summons may be served.

m) As soon as the purchaser encounters any difficulties of any kind in making payment, it may only possess reserved goods or assigned claims with written consent from the Seller.

n) The reservation of title of the Seller is conditional in that, upon full payment of the claims of the Seller from the business relationship, the ownership of the reserved goods is then transferred to the purchaser and it is granted the assigned claims. The Seller undertakes to release the securities to which it is entitled in accordance with the preceding provisions insofar as their value exceeds the claims to be secured by 10%.


**11.** This present contract shall be governed by the law of the Federal Republic of Germany. In the case of contracts with merchants, legal persons under public law or special funds under public law and with foreign citizens without a place of jurisdiction within Germany, the place of jurisdiction shall be Ansbach, Germany. However, the Seller reserves the right to also initiate proceedings at the place of jurisdiction of the purchaser.

**12.** These provisions constitute the agreements in their entirety. Additional verbal or written ancillary agreements or additional agreements do not exist. Proof to the contrary is hereby not excluded. Should one or more provision(s) of this contract be or become invalid, this shall not affect the validity of the other provisions of this contract. In such cases, the parties undertake to fill the resulting omission with a regulation that corresponds in economic terms to that which the parties would have agreed had they been aware of the invalid provision(s).

As at: 10/2020 Rettenmeier Holding AG, Germany

KEY

APPLICATION



suitable for indoor and sheltered outdoor applications

QUALITY/GRADING

★★★★  
S10

★★★★  
1

★★★★  
A

★★★★  
Exclusive

★★★★  
Class 2-4

★★★★  
vis

for the visible area

★★★★  
2

★★★★  
WMC

★★★★  
Standard

★★★★  
Class 2-3

★★★★  
N-vis


For the area that is not visible

★★  
IV

★★  
B


★★  
natural growth

CERTIFICATION/COLLABORATION




PEFC  
PEFC/04-32-0001  
Promoting Sustainable Forest Management  
www.pefc.de


strictly controlled forest certification programme for monitoring sustainably managed forests




Look for our FSC®-certified products!  
international certification system for forest management



Certification program for safe, circular and responsibly produced materials and products




DE 058




SK 019

highest quality level for biogenic solid fuels



highest quality level for biogenic solid fuels



Collaboration with Lebenshilfe



rettenmeier®  
PREMIUM OF WOOD

Rettenmeier Holzindustrie Wilburgstetten GmbH  
Industriestr. 1 | D-91634 Wilburgstetten, Germany  
Tel.: +49 (0) 9853 338-0 | E-mail: [info@rettenmeier.com](mailto:info@rettenmeier.com)

LEARN  
MORE ...



[www.retttenmeier.com](http://www.retttenmeier.com)