Examples of applications: Terrace floors and wooden decking, garden and path design, ...

	Dimension (mm)	Quantity per Packaging unit (items)	Packaging unit (pack/box)	EAN	Supplier item number		
Stainless steel screws with self-tapping tips							
	4.5 x 60	100	16	4000868999849	9600009900000		

#### Spacer for floor planks, distance between joints 5 mm, black, made in Germany



40 x 80 x 5 50 20 4000868999580 9600010800000

Structural wood protection increases the service life of the terrace.

Quantity required for 120 mm-wide plank: 16 pcs per m²

Quantity required for 145 mm-wide plank: 14 pcs per m²

#### Support pads for substructure, black



3 x 60 x 90	60	24	4000868998989	9600011800000
8 x 60 x 90	48	20	4000868998972	9600011900000
20 x 60 x 100	20	12	4000868999733	9600010300000

Place under substructure with spacing of 60 cm. Permanently weatherproof thanks to high-quality plastic.

#### "Small Foot" terrace foot, for levelling gradients up to 30 mm, black, made in Germany

150 x 150 x 35-65

Dimension

(mm)

1

Quantity per

Packaging unit (items)

3

4000868999566

FAN

9600010900000

Supplier item

number

Install under substructure with spacing of 50-60 cm. Load-bearing capacity per terrace foot approx. 400 kg. Permanently weatherproof thanks to high-quality plastic.

#### "Big Foot" terrace foot, for levelling gradients up to 80 mm, black, made in Germany 💳

190 x 190 x 60-140

4 4000868998521

9600012900000

Install under substructure with spacing of 60 cm. Load-bearing capacity per terrace foot approx. 400 kg. Permanently weatherproof thanks to high-quality plastic.

#### "Cross Foot" tile foot, for levelling gradients up to 30 mm, black, made in Germany 💳

150 x 150 x 35-65

4000868998415 96

9600013100000



Load-bearing capacity per tile foot approx. 400 kg.

Permanently weatherproof thanks to high-quality plastic.

Suitable for wooden tiles 49 mm thick and above, and for stone and concrete tiles.

Please observe the specifications of the manufacturer.





### ACCESSORIES FOR

## ARTWOOD TERRACE DECKING

- ✓ special accessories for the professional construction of ARTWOOD terrace decking
   ✓ easy to install thanks to clip system
  - uniform plank spacing

#### **PRODUCT DESCRIPTION:**

- structural accessories for ARTWOOD terrace decking
- fixing systems for ARTWOOD planks
- · end strips

Examples of applications: WPC/GCC terrace floors and wooden decking, garden and path design,  $\dots$ 

Dimension (mm)

Quantity per Packaging unit (items) Packaging unit (pack/box)

ΕΛΝΙ

Supplier item number

Terrace clip 7 mm, including screws, plastic, black, made in Germany

25 x 40

30

50

4000868999689

9600015000000

Single planks can be replaced. Approx. 20 clips/m².



Terrace end clip 7 mm, including screws, plastic, black, made in Germany

15 x 40

10

20

4000868999672

9600015100000

 $\mbox{Single planks can be replaced.} \\ \mbox{Quantity required: 3 pieces per running metre for edge planks.} \\$ 



ARTWOOD PLANKS FROM 21 MM THICKNESS

Universal clip 7 mm, including screws, stainless steel, black, made in Germany

24 x 35

20

ı

4000868998439

9600015800000

Single planks can be replaced.
Approx. 14 clips/m².



FOR ALL ARTWOOD PLANKS

Universal end clip 7 mm, including screws, stainless steel, black, made in Germany

20 x 35

10

20

4000868998422

9600015900000



Single planks can be replaced. Quantity required: 3 pieces per running metre for edge planks.



Dimension Quantity per Packaging unit Supplier item (mm) Packaging unit (items) (pack/box) EAN number

#### Support pads for substructure, black



3 x 60 x 90	60	24	4000868998989	9600011800000
8 x 60 x 90	48	20	4000868998972	9600011900000
20 x 60 x 100	20	12	4000868999733	9600010300000

Place under substructure with spacing of 60 cm. Permanently weatherproof thanks to high-quality plastic.

#### "Small Foot" terrace foot, for levelling gradients up to 30 mm, black, made in Germany



150 x 150 x 35-65

1

30

4000868999566

9600010900000

Install under substructure with spacing of 50-60 cm. Load-bearing capacity per terrace foot approx. 400 kg. Permanently weatherproof thanks to high-quality plastic.

#### **"Big Foot" terrace foot,** for levelling gradients up to 80 mm, black, made in Germany 💳



190 x 190 x 60-140

4000868998521

9600012900000

Install under substructure with spacing of 60 cm. Load-bearing capacity per terrace foot approx. 400 kg. Permanently weatherproof thanks to high-quality plastic.

#### Spacer for ARTWOOD end strips, anthracite, made in Germany



30 x 40 x 10

10

20


4000868999412

9600015600000

# ARTWOOD -INNOVATIVE TERRACE DECKING SYSTEM



- Permanent outdoor use
- all advantages at a glance
- ✓ information on durability, colour development, application options, ...
- √ tips & tricks for cleaning and care





HARZant