


# SAWN TIMBER

## SAWN TIMBER

We offer all common **sawn timber products in a wide range of dimensions**. Both fresh raw, pressure-treated of course technically dried! Also Douglas fir terrace decking - everything can be combined with our construction products! This means that you receive all of your important timber trade products on one truck – from a single source!

LEARN  
MORE ...







## SLATS/ FRAMES

- ✓ cost-effective
- ✓ standard quality
- ✓ wide range of applications

### PRODUCT DESCRIPTION:

- sawn timber spruce/fir
- finely sawed
- raw
- lengths 50 : 50 cm, ascending

Examples of applications: Slats for roofing, substructure timbers for exterior facades, wall and ceiling cladding, battens, counter slats, etc.

Dimension (mm)	Grade	pcs/pallet	Lengths (m)	freshly pressure-treated		
				fresh raw	dry raw	dry raw
<b>Slats/frames, spruce/fir, unplanned, made in Germany</b> 						
 24 x 48	I-II	360	3.00 - 5.00	x	x	x
24 x 70	I-II	270	3.00 - 5.00			x
28 x 48	I-II	320	3.00 - 5.00	x	x	x
30 x 50	I-II	280	3.00 - 5.00	x	x	x
38 x 58	I-II	216	3.00 - 5.00	x	x	x
40 x 60	I-II	216	3.00 - 5.00	x	x	x
58 x 58	I-II	144	3.00 - 5.00	x	x	x
58 x 78	I-II	98	3.00 - 5.00	x	x	x

Other lengths on request

© rettenmeier® 06/04/23





## T&G TIMBER

- ✓ improves the interior climate
- ✓ promotes a sense of comfort
- ✓ breathable
- ✓ healthy
- ✓ low-maintenance

### PRODUCT DESCRIPTION:

- planed goods spruce/fir
- according to DIN 4072
- technically dried to approximately 18% ± 2% wood moisture content
- lengths 50 : 50 cm, ascending

Examples of applications: Attic, outbuildings, subfloors, garden house, substructure for wall and ceiling cladding, etc.

Dimension (mm)	Grade	pcs/pallet	Lengths (m)	dry pressure-treated		
				fresh raw	dry raw	dry raw
<b>T&amp;G timber with taper groove, spruce/fir, planed technically dried, made in Germany</b> 						
 21 x 116	II-IV	135   189	4.00 - 5.00		x	x
24 x 136	II-IV	120   160	4.00 - 5.00		x	x
24 x 146	II-IV	105   140	4.00 - 5.00		x	x
24 x 165	II-IV	105   140	4.00 - 5.00		x	x
28 x 136	II-IV	104   144	4.00 - 5.00		x	x
28 x 146	II-IV	91   126	4.00 - 5.00		x	x
28 x 165	II-IV	91   126	4.00 - 5.00		x	x
30 x 165	II-IV	112	4.00 - 5.00		x	x



KVH®

QLH DUO/TRIO

BSH

CE SAWN TIMBER

SAWN TIMBER



## BOARD PRODUCTS

- ✓ inexpensive
- ✓ wide range of applications


### PRODUCT DESCRIPTION:

- sawn timber spruce/fir
- finely sawed
- raw
- lengths 50 : 50 cm, ascending

Examples of applications: Shell construction, formwork purposes, blind formwork, concrete formwork, sheet pile walls, staircase formwork, roof formwork, wooden cladding, etc.

Dimension (mm)	Grade	pcs/pallet	Lengths (m)	freshly pressure-treated		
				fresh raw	dry raw	dry raw
<b>Boards/formwork, spruce/fir, unplaned, technically dried, made in Germany</b> 						
 23 x 80	II-IV	588	3.00 - 5.00			x
23 x 100	II-IV	462	3.00 - 5.00			x
23 x 120	II-IV	378	3.00 - 5.00			x
23 x 140	II-IV	336	3.00 - 5.00			x
23 x 160	II-IV	294	3.00 - 5.00			x
23 x 180	II-IV	252	3.00 - 5.00			x
23 x 200	II-IV	210	3.00 - 5.00			x

### Boards/formwork, spruce/fir, unplaned, fresh, made in Germany

Dimension (mm)	Grade	pcs/pallet	Lengths (m)	freshly pressure-treated		
				fresh raw	dry raw	dry raw
 24 x 80	II-IV	420	3.00 - 5.00	x		x
24 x 100	II-IV	330	3.00 - 5.00	x		x
24 x 120	II-IV	270	3.00 - 5.00	x		x
24 x 140	II-IV	240	3.00 - 5.00	x		x
24 x 160	II-IV	210	3.00 - 5.00	x		x
24 x 180	II-IV	180	3.00 - 5.00	x		x
24 x 200	II-IV	150	3.00 - 5.00	x		x


## WEDGE PLANKS / FACIA BOARDS

- ✓ special profile
- ✓ neatly prefabricated

### PRODUCT DESCRIPTION:

- sawn timber spruce/fir
- finely sawed
- technically dried to approximately 18% ± 2% wood moisture content
- lengths 50 : 50 cm, ascending

Examples of applications: Roof construction, attachment of gutters, fascia boards

Dimension (mm)	Grade	pcs/pallet	Lengths (m)	dry pressure-treated		
				fresh raw	dry raw	dry raw
<b>Wedge planks/facia boards, spruce/fir, unplaned, made in Germany</b> 						
 50/0 x 150	I-III	63	4.00 - 5.00		x	x
50/20 x 140	I-III	49	4.00 - 5.00		x	x
50/30 x 160	I-III	42	4.00 - 5.00		x	x
70/0 x 140	I-III	49	4.00 - 5.00		x	x
80/0 x 160	I-III	42	4.00 - 5.00		x	x

# TERRACE DECKING

## TERRACE DECKING

With our durable and high-quality terrace decking made of Douglas fir in various designs, many creative design ideas can be implemented outdoors.

LEARN MORE ...



DOUGLAS FIR







DECKING TERRACES

- ✓ durable and long-lasting
- ✓ robust and stable
- ✓ slip resistant

### PRODUCT DESCRIPTION:

- Douglas fir
- various profile variants
- technically dried

Examples of applications: Terraces, balconies, paths, walkways, promenades, horticulture and landscaping, etc.

	Dimension (mm)	Quality	pcs/pallet	Lengths (m)
<b>Terrace decking, Douglas fir, coarsely grooved on both sides, planed on four sides, made in Germany</b> 				
	28 x 145	SELECT	112	3.00/4.00/5.00
	45 x 145	SELECT	56	3.00/4.00/5.00
<b>Terrace decking, Douglas fir, partially fluted on both sides, planed on four sides, made in Germany</b> 				
	28 x 145	SELECT	112	3.00/4.00/5.00
<b>Substructure, Douglas fir, dry, planed, made in Germany</b> 				
	45 x 70	I-III	165	3.00/4.00/5.00
	70 x 70	I-III	105	3.00/4.00/5.00
	90 x 90	I-III	96	3.00/4.00/5.00

Processing: Avoid direct ground contact, lay on substructure, observe structural wood protection, water drainage via incline, use stainless steel screws