

Examples of applications: Terrace and balcony construction, garden and path design, borders and enclosures, fence construction, ...

19 x 95

Dimension Length Supplier item
Application (mm) (mm) Packaging unit (items) EAN number

Plank/construction board, Douglas fir, smooth, PEFC, made in Germany





18 x 90	2000	96	4000868800329	3900005102000
18 X 90	3000	96	4000868800336	3900005103000
10 70	2000	120	4000868807793	3900011502000
19 x 70	3000	120	4000868807809	3900011503000
10 1/5	2000	105	4000868804389	3900005402000
18 x 145	3000	105	4000868804396	3900005403000
01 100	2000	108	4000868800084	3900013902000
21 x 120	3000	108	4000868800091	3900013903000

Plank/construction board, Douglas fir, finely fluted/smooth, PEFC, made in Germany





2000	220	4000868806796	3900011002000
3000	220	4000868806949	3900011003000

Plank, Douglas fir, partially fluted/smooth, PEFC, made in Germany





	2000	108	4000868805928	3900023402000
21 x 120	3000	108	4000868805935	3900023403000
	4000	108	4000868805942	3900023404000

Dimension Length Supplier item
Application (mm) (mm) Packaging unit (items) EAN number

Terrace decking, Douglas fir, finely fluted/anti-slip grooves, PEFC, made in Germany







x 120	2000	72	4000868800053	3900033102000
	2500	72	4000868800060	3900033102500
	3000	72	4000868800077	3900033103000
	4000	72	4000868800657	3900033104000

Terrace decking, Douglas fir, finely fluted/anti-slip grooves, PEFC, made in Germany





	2000	56	4000868800008	3900033002000
28 x 145	2500	56	4000868800015	3900033002500
28 X 145	3000	56	4000868800022	3900033003000
	4000	56	4000868800145	3900033004000



Terrace decking, Douglas fir, texture planed/smooth, PEFC, made in Germany





	2000	56	4000868833525	3900048002000
28 x 145	2500	56	4000868833839	3900048002500
	3000	56	4000868833532	3900048003000

Plank/construction board, larch, smooth, PEFC, made in Germany





19 x 70	2000	120	4000868807830	3900011702000
19 X /U	3000	120	4000868807847	3900011703000
19 x 95	2000	88	4000868807854	3900011802000
19 X 95	3000	88	4000868807861	3900011803000



Terrace decking, larch, partially fluted/smooth, PEFC, made in Germany





	2000	56	4000868833433	3900045502000
28 x 145	3000	56	4000868833419	3900045503000
	4000	56	4000868833426	3900045504000



Examples of applications: Floors in living spaces, attics, outbuildings, garden houses, ...

Dimension Length Supplier item
Application (mm) (mm) Packaging unit (items) EAN number

Terrace decking, thermo pine, finely fluted/smooth, PEFC, made in Europe





2/ 117	2100	90	4000868803603	3900028602100
26 X 117	3000	90	4000868803610	3900028603000

Substructure, Thermo pine, planed, smooth, PEFC, made in Europe





42 x 68 3000

9


4000868803061

3900059303000

Distance between construction beams max. 40 cm.

PLANKS AND TERRACE DECKING,

CONIFEROUS WOOD, PRESSURE-TREATED



- EAN-coded, labelled
- various profile variants, as shown
- planed



- high durability heavy metal-free impregnation paint
 - high strength
 - additional UV protection
 - low susceptibility to cracking and tearing
 - decorative appearance
 - simple to work

Examples of applications: Terrace and balcony construction, garden and path design, borders and enclosures, fence construction, ...

Application

Dimension (mm)

Lenath (mm)

Packaging unit (items)

126

126

Supplier item number

Plank, coniferous wood, quality pressure-treated, colour grey, smooth/finely fluted, PEFC, made in Germany





21 x 120

2000 3000 4000868807502 4000868807519

3900024302000 3900024303000



Terrace decking, coniferous wood, quality pressure-treated, colour grey, grooved/partially fluted, PEFC,





28 x 145

2000 84 2500 84 84 3000

4000868807526 3900047102000 4000868807977 3900047102500 4000868807533 3900047103000



Terrace decking, coniferous wood, PI (pressure-treated), colour anthracite, grooved/partially fluted, PEFC, made in Germany





28 x 145

2500

4000868809780 4000868809797

3900119602500 3900119603000

Dimension (mm)

Length

Packaging unit (items)

EAN

Supplier item number

Plank, coniferous wood, PI (pressure-treated), colour teak, smooth/finely fluted, PEFC, made in Germany





2000	126	4000868804716	3900018502000	
3000	126	4000868804723	3900018503000	
4000	126	4000868804730	3900018504000	

Terrace decking, coniferous wood, PI (pressure-treated), colour teak, grooved/partially fluted, PEFC, made in Germany





28 x 145

2000	84	4000868804297	3900039402000
3000	84	4000868804303	3900039403000
4000	84	4000868804310	3900039404000

Terrace decking, coniferous wood, PI (pressure-treated), colour green, grooved/partially fluted, PEFC,

made in Germany



28 x 145

2000	84	4000868809599
3000	84	4000868809582

9 3900045002000 2 3900045003000



Plank, coniferous wood, quality pressure-treated, colour Mediterranean, smooth/finely fluted, PEFC, made in Germany





21 x 120

2000	126	4000868810922
3000	126	4000868810939

3900128402000 3900128403000



 $\textbf{Terrace decking,} \ coniferous \ wood, \ quality \ pressure-treated, \ colour \ Mediterranean, \ partially \ fluted/grooved, \ PEFC, \ property \ prop$





28 x 145		
20 X 14J	3000	
	0000	

2000	84	4000868810847	3900128002000
3000	84	4000868810854	3900128003000

Application

Dimension (mm)

Length

Packaging unit (items)

ΕΔN

Supplier item number

 $\textbf{Terrace decking,} \ coniferous \ wood, \ quality \ pressure-treated, \ colour \ mahogany, \ partially \ fluted/grooved,$





28 x 145	2000	84	4000868810861	3900128102000
28 X 143	3000	84	4000868810878	3900128103000





GCC (German Compact Composite) is a wood-based material with a very high proportion of natural fibres. The principle "Cradle to Cradle" is used holistically, that is, high material health is the top priority and therefore the recyclability of the material and its return to the recycling cycle. In this way, our GCC products contribute to natural and sustainable construction.

durable f
environmentally
friendly!

HOLZant

- up to 75% wood fibres from sustainably managed forests
- Cradle to Cradle Certified® at the Gold level

GCC HARZant

- sustainably managed forests
- up to 30% recycled resin (from wind turbine blades, amongst other things)
- Cradle to Cradle Certified® at the Gold level

GCC	BRONZE	SILVER	GOLD	PLATINUM
Material health*	1		$ \sqrt{} $	1
Recyclability	1		1	
Renewable energy	1		1	
Water management	11 /		1	
Corporate Social Responsibility	1//		1	
*GCC HOLZart achieves PLATINUM, GCC HARZart achieves GOLD in material Cradle to Cradle Certified® is a registered trademark of the Cradle to Cradle Products Innovation In More Information on contification at young enterprise conti				Innovation Institute.



PRINCIPLE "CRADLE TO CRADLE"

- use of material-healthy substances
- no use of harmful chemicals
- recycling of recycled materials in production
- recirculation into the recyclable material cycle
- climate-neutral production
- protection of people and nature

LEARN



ARTWOOD WPC **GCC HARZart**

- weatherproof **UV-resistant**
- will not turn grey like wood
 - slip-resistant
 - easy to work with

PRODUCT DESCRIPTION:

- EAN-coded, labelled
- various profile variants, as shown





Examples of applications: Terrace and balcony construction,

Application

Dimension


Length

Packaging unit (items)

EAN

Supplier item number

ARTWOOD WPC terrace decking*, colour ash grey, finely fluted/grooved, PEFC, made in Germany





21 x 145

2000 3000 4000

56 56

56

4000868812124 3940011102000 4000868812131 3940011103000

4000868812148 3940011104000



* Note: All WPC terrace decking with a hollow chamber profile must be laid with a gradient of at least 2%.

ARTWOOD WPC terrace decking*, colour ebony anthracite, finely fluted/grooved, PEFC, made in Germany ==





21 x 145

HARZart

3000 4000

2000

4000868812155 3940011202000 4000868812162 3940011203000 4000868812179 3940011204000

* Note: All WPC terrace decking with a hollow chamber profile must be laid with a gradient of at least 2%.



ARTWOOD WPC terrace decking*, colour Bangkirai Beige, finely fluted/grooved, PEFC, made in Germany





21 x 145

3000 56

4000868812186 3940011302000 4000868812193 3940011303000 4000868812209 3940011304000

HARZart

* Note: All WPC terrace decking with a hollow chamber profile must be laid with a gradient of at least 2%.

