

SAWN TIMBER

We offer all common **sawn timber products in a wide range of dimensions.** Both fresh raw, pressure-treated of course technically dried! Also Douglas fir terrace decking - everything can be combined with our construction products! This means that you receive all of your important timber trade products on one truck – from a single source!





LEARN
MORE ...



SAWN TIMBER

CE SAWN TIMBER

BSH

QLH DUO/TRIO

KVH®

SLATS/ FRAMES

- ✓ cost-effective
- ✓ standard quality
- ✓ wide range of applications

PRODUCT DESCRIPTION:

- sawn timber spruce/fir
- finely sawed
- raw
- lengths 50 : 50 cm, ascending

Examples of applications: Slats for roofing, substructure timbers for exterior facades, wall and ceiling cladding, battens, counter slats, etc.

	Dimension (mm)	Grade	pcs/pallet	Lengths (m)	fresh raw	freshly pressure- treated	dry raw
Slats/frames, spruce/fir, unplaned, made in Germany 							
	24 x 48	I-II	360	3.00 - 5.00	x	x	x
	24 x 70	I-II	270	3.00 - 5.00			x
	28 x 48	I-II	320	3.00 - 5.00	x	x	x
	30 x 50	I-II	280	3.00 - 5.00	x	x	x
	38 x 58	I-II	216	3.00 - 5.00	x	x	x
	40 x 60	I-II	216	3.00 - 5.00	x	x	x
	58 x 58	I-II	144	3.00 - 5.00	x	x	x
	58 x 78	I-II	98	3.00 - 5.00	x	x	x

Other lengths on request

T&G TIMBER

KVH®

QLH DUO/TRIO

BSH

CE SAWN TIMBER


SAWN TIMBER

PRODUCT DESCRIPTION:

- planed goods
spruce/fir
- according to DIN 4072
- technically dried to
approximately
18% ± 2% wood
moisture content
- lengths 50 : 50 cm,
ascending

- ✓ improves the interior
climate
- ✓ promotes a sense
of comfort
- ✓ breathable
- ✓ healthy
- ✓ low-maintenance

Examples of applications: Attic, outbuildings, subfloors, garden house, substructure for wall and ceiling cladding, etc.

	Dimension (mm)	Grade	pcs/pallet	Lengths (m)	fresh raw	dry pressure- treated	dry raw
T&G timber with taper groove, spruce/fir, planed technically dried, made in Germany 							
 	21 x 116	II-IV	135 189	4.00 - 5.00		x	x
	24 x 136	II-IV	120 160	4.00 - 5.00		x	x
	24 x 146	II-IV	105 140	4.00 - 5.00		x	x
	24 x 165	II-IV	105 140	4.00 - 5.00		x	x
	28 x 136	II-IV	104 144	4.00 - 5.00		x	x
	28 x 146	II-IV	91 126	4.00 - 5.00		x	x
	28 x 165	II-IV	91 126	4.00 - 5.00		x	x
	30 x 165	II-IV	112	4.00 - 5.00		x	x

BOARD PRODUCTS

- ✓ inexpensive
- ✓ wide range of applications

PRODUCT DESCRIPTION:

- sawn timber spruce/fir
- finely sawed
- raw
- lengths 50 : 50 cm, ascending

Examples of applications: Shell construction, formwork purposes, blind formwork, concrete formwork, sheet pile walls, staircase formwork, roof formwork, wooden cladding, etc.

	Dimension (mm)	Grade	pcs/pallet	Lengths (m)	fresh raw	freshly pressure- treated	dry raw
Boards/formwork, spruce/fir, unplaned, technically dried, made in Germany 							
	23 x 80	II-IV	588	3.00 - 5.00			x
	23 x 100	II-IV	462	3.00 - 5.00			x
	23 x 120	II-IV	378	3.00 - 5.00			x
	23 x 140	II-IV	336	3.00 - 5.00			x
	23 x 160	II-IV	294	3.00 - 5.00			x
	23 x 180	II-IV	252	3.00 - 5.00			x
	23 x 200	II-IV	210	3.00 - 5.00			x

Boards/formwork, spruce/fir, unplaned, fresh, made in Germany

	24 x 80	II-IV	420	3.00 - 5.00	x	x	
	24 x 100	II-IV	330	3.00 - 5.00	x	x	
	24 x 120	II-IV	270	3.00 - 5.00	x	x	
	24 x 140	II-IV	240	3.00 - 5.00	x	x	
	24 x 160	II-IV	210	3.00 - 5.00	x	x	
	24 x 180	II-IV	180	3.00 - 5.00	x	x	
	24 x 200	II-IV	150	3.00 - 5.00	x	x	

WEDGE PLANKS/ FACIA BOARDS

KVH®

QLH DUO/TRIO

BSH

CE SAWN TIMBER

SAWN TIMBER

PRODUCT DESCRIPTION:

- sawn timber spruce/fir
- finely sawed
- technically dried to approximately 18% ± 2% wood moisture content
- lengths 50 : 50 cm, ascending

- ✓ special profile
- ✓ neatly prefabricated

Examples of applications: Roof construction, attachment of gutters, fascia boards

	Dimension (mm)	Grade	pcs/pallet	Lengths (m)	fresh raw	dry pressure- treated	dry raw
Wedge planks/facia boards, spruce/fir, unplaned, made in Germany 							
	50/0 x 150	I-III	63	4.00 - 5.00		x	x
	50/20 x 140	I-III	49	4.00 - 5.00		x	x
	50/30 x 160	I-III	42	4.00 - 5.00		x	x
	70/0 x 140	I-III	49	4.00 - 5.00		x	x
	80/0 x 160	I-III	42	4.00 - 5.00		x	x

TERRACE DECKING

With our durable and high-quality **terrace decking made of Douglas fir** in various designs, many creative design ideas can be implemented outdoors.

LEARN
MORE...



DOUGLAS FIR DECKING TERRACES

- ✓ durable and long-lasting
- ✓ robust and stable
- ✓ slip resistant

PRODUCT DESCRIPTION:

- Douglas fir
- various profile variants
- technically dried

Examples of applications: Terraces, balconies, paths, walkways, promenades, horticulture and landscaping, etc.

	Dimension (mm)	Quality	pcs/pallet	Lengths (m)
Terrace decking, Douglas fir, coarsely grooved on both sides, planed on four sides, made in Germany 				



28 x 145	SELECT	112	3.00/4.00/5.00
45 x 145	SELECT	56	3.00/4.00/5.00

Terrace decking, Douglas fir, partially fluted on both sides, planed on four sides, made in Germany 				
--	--	--	--	--



28 x 145	SELECT	112	3.00/4.00/5.00
----------	--------	-----	----------------

Substructure, Douglas fir, dry, planed, made in Germany 				
--	--	--	--	--



45 x 70	I-III	165	3.00/4.00/5.00
70 x 70	I-III	105	3.00/4.00/5.00
90 x 90	I-III	96	3.00/4.00/5.00

Processing: Avoid direct ground contact, lay on substructure, observe structural wood protection, water drainage via incline, use stainless steel screws

KVH®

QLH DUO/TRIO

BSH

CE SAWN TIMBER

SAWN TIMBER